



The
Winchester
Tile
Collection



ORIGINALSTYLE

Tiles to Inspire



Welcome

Made up of several smaller ranges, The Winchester Tile Collection offers wall tiles in a variety of formats and mouldings, all with unique undulating glazes that add depth and character to a space.




muted, modern bricks in two finishes 'Origin' 8-13




contemporary bricks in natural colours 'Panorama' 14-21



lustre glazed tiles & mouldings 'Metropolitan' 22-35



crackle glazed tiles & mouldings 'Arcadian' 36-45



rich gloss tiles & mouldings 'Cosmopolitan' 46-63



patterns & illustrations on Cosmopolitan base tiles 64-85



elegant designs in heritage colours 'Artisan' 86-97



pretty repeat patterns on Artisan base tiles 98-105



traditional tiles and mouldings 'Classic' 106-119



traditional decorated designs on Classic base tiles 120-129



important information 132-138

The art of beautiful tiles

As England's leading producer of hand crafted tiles, we continue to design and produce our tiles in Devon's historic city of Exeter.

Our team of experienced and highly skilled artists, designers and crafts people create tile patterns and glazes that you'll adore for years to come.





The alchemy of tile making

It all starts with 'bisques', blank canvases of moulded clay. It's what happens next that dictates the end result: firing temperatures and frequency; different glazes and how they react to heat and to each other; hand painting, screen printing and finishing – this is tile making at its finest.



Origin

– modern rustic –

A collection of brick tiles in muted hues, perfect for creating a contemporary rustic look. Choose a smooth finish for a subtle texture or opt for a rustic finish which has a more unique appeal.




Origin

240 x 60 x 12mm (2 3/8" x 9 7/16" x 1/2")


Change the look by trying a different tile layout or add contrast with a dark grout

Sand Smooth ◉



WELOSAS2406

Sand Rustic ◉◻



WELOSAR2406

Cloud Smooth ◉




WELOCLS2406

Cloud Rustic ◉◻




WELOCLR2406

new Blush Smooth ◉ (shown opposite with white grout)



WELOBS2406

new Blush Rustic ◉◻



WELOBLR2406

◉ Suitable for use in wet areas

◻ Impregnate before grouting. See page 134



Blush Smooth with Bianco Oro CS2242-9090 (wall) and Pietra Lombarda Off White CS2190-9090 (floor) from the Tileworks range

Origin

240 x 60 x 12mm (2 3/8" x 9 7/16" x 1/2")

Shell Smooth




Shell Rustic



Frost Smooth



Frost Rustic shown opposite





Panorama

– a striking finish –

A rainbow of hues from subtle neutrals to daring blues, with uneven surfaces and a stunning depth and variation of colour. These tiles have a soft glaze which allows for the feel of the bisque to come through each layer, resulting in an artisanal speckled look.

Panorama

240 x 60 x 12mm (2 3/8" x 9 7/16" x 1/2")

Dale



W.ELPDA2406

Cliff



W.ELPCL2406

Stream



W.ELPST2406

Rockpool



W.ELPRO2406

Reef




W.ELPRE2406

Cove shown opposite





W.ELPCO2406


Why not try a diagonal or herringbone pattern for a dynamic look



Cove

 Suitable for use in wet areas with care. See page 134

 For dry areas only. See page 134

 Cracked or may crackle/craze. See page 134

Panorama

240 x 60 x 12mm (2 3/8" x 9 7/16" x 1/2")

Pasture 



W.ELPPA2406

Meadow 



W.ELPME2406


Tundra 




W.ELPTU2406

Accentuate tile layouts with a darker grout

Shore  shown opposite



W.ELPSH2406



Panorama

240 x 60 x 12mm (2 3/8" x 9 7/16" x 1/2")


Vertical brickbond patterns add a sense of height

Quarry




W.ELPQU2406

Moor



W.ELPMO2406

Spring



W.ELPSP2406

Tor shown opposite



W.ELPTO2406



Tor

Metropolitan

– rustic lustre –

Tiles and their mouldings in a unique lustrous finish, which glistens with a pearl-like sheen. Choose from a variety of pastel tones or try teaming two shades together to create a delicate yet striking two-tone effect.

200mm Brick

200 x 100mm (4" x 8")
A contemporary brick format that looks great in larger areas



Ogee Moulding

200 x 30mm (1 3/16" x 8")
Ideal to accompany the 200mm Brick



Field Tile

130 x 130mm (5 1/8" x 5 1/8")
The classic square tile



Torus Moulding

130 x 43mm (1 1/16" x 5 1/8")
Perfectly proportioned to match the Field Tile

Metropolitan

Chalk



Torus Moulding W.RCH2010
130 x 43mm / 1 1/8" x 5/8"



Field Tile W.RCH2005
130 x 130mm / 5 1/8" x 5 1/8"



new Ogee Moulding W.RCH2110
200 x 30mm / 1 3/4" x 8"



new 200mm Brick W.RCH2100
200 x 100mm / 4" x 8"

Hibiscus

shown opposite



Torus Moulding W.RHB2010
130 x 43mm / 1 1/8" x 5/8"



Field Tile W.RHB2005
130 x 130mm / 5 1/8" x 5 1/8"




new Ogee Moulding W.RHB2110
200 x 30mm / 1 3/4" x 8"



new 200mm Brick W.RHB2100
200 x 100mm / 4" x 8"



Hibiscus

 Suitable for use in wet areas

Metropolitan

Thatch ◉ (shown opposite on upper wall)




Damask ◉



Hessian ◉ (shown opposite on lower wall)



◉ Suitable for use in wet areas



Thatch and Hessian

Metropolitan

Enhance plain tiles with a matching moulding

Hemp shown opposite



Torus Moulding W.RHE2010
130 x 43mm / 1 1/8" x 5/8"



Field Tile W.RHE2005
130 x 130mm / 5 1/8" x 5 1/8"



 Ogee Moulding W.RHE2110
200 x 30mm / 1 3/8" x 8"



 200mm Brick W.RHE2100
200 x 100mm / 4" x 8"

Mimosa



Torus Moulding W.RMI2010
130 x 43mm / 1 1/8" x 5/8"



Field Tile W.RMI2005
130 x 130mm / 5 1/8" x 5 1/8"



Hemp

Metropolitan

Anemone




Clover

shown opposite with white grout




Contrast pale colours with a dark grout for added drama

Blossom



Suitable for use in wet areas




Clover

Metropolitan

Heather ○ shown opposite



Heath ○



Pansy ○



○ Suitable for use in wet areas



Heather with Lignum White Natural CB05-025-10016 from the Tileworks range

Metropolitan

Lupin



Torus Moulding W.RLU2010
130 x 43mm / 5 1/8" x 5 1/8"



Field Tile W.RLU2005
130 x 130mm / 5 1/8" x 5 1/8"



new Ogee Moulding W.RLU2110
200 x 30mm / 1 3/4" x 8"



new 200mm Brick W.RLU2100
200 x 100mm / 4" x 8"

Cornflower



Torus Moulding W.RCR2010
130 x 43mm / 1 1/16" x 5 1/8"



Field Tile W.RCR2005
130 x 130mm / 5 1/8" x 5 1/8"



new Ogee Moulding W.RCR2110
200 x 30mm / 1 3/4" x 8"



new 200mm Brick W.RCR2100
200 x 100mm / 4" x 8"

Lazul

shown opposite



Torus Moulding W.RLA2010
130 x 43mm / 1 1/16" x 5 1/8"



Field Tile W.RLA2005
130 x 130mm / 5 1/8" x 5 1/8"



new Ogee Moulding W.RLA2110
200 x 30mm / 1 3/4" x 8"



new 200mm Brick W.RLA2100
200 x 100mm / 4" x 8"

Suitable for use in wet areas



Lazul with York pattern (in White) from the Victorian Floor Tiles range

300mm Brick

300 x 75mm (3" x 12")
A contemporary take on the ever popular brick shape, our favourite format for a striking herringbone pattern

Ogee Moulding

200 x 30mm
(1 3/16" x 8")

Mouldings:

Ogee A slim and elegant moulding that can be used with any of the tiles in this range, but is particularly suited to the longer brick formats

Torus Ideally proportioned to accompany Field tiles and Half tiles.

Torus Moulding

130 x 43mm
(1 1/16" x 5 1/8")

Half Tile

130 x 63mm (2 1/2" x 5 1/8")

Arcadian

– rustic crackle –

Muted chalky colours in delicately textured, randomly crackled glazes. Perfect for creating a softly aged look in sumptuous tones.

200mm Brick


200 x 100mm (4" x 8")
This larger brick is classic in shape but offers a contemporary larger format

Field Tile


130 x 130mm (5 1/8" x 5 1/8")

Arcadian


Porcelain




Dune shown opposite



Lace



 Suitable for use in wet areas with care. See page 134

 Cracked or may crackle/craze. See page 134



Dune

Arcadian

Linen



Torus Moulding W.UJI2010
130 x 43mm / 1 1/16" x 5 1/8"



Field Tile W.UJI2005
130 x 130mm / 5 1/8" x 5 1/8"



Glaze detail

Birch shown opposite



Torus Moulding W.UBI2010
130 x 43mm / 1 1/16" x 5 1/8"



Half Tile W.UBI2025
130 x 63mm / 2 1/2" x 5 1/8"



Field Tile W.UBI2005
130 x 130mm / 5 1/8" x 5 1/8"




Ogee Moulding W.UBI2110
200 x 30mm / 1 3/16" x 8"



200mm Brick W.UBI2100
200 x 100mm / 4" x 8"



300mm Brick W.UBI3075
300 x 75mm / 3" x 12"



Glaze detail


Mink



Torus Moulding W.UMI2010
130 x 43mm / 1 1/16" x 5 1/8"




Field Tile W.UMI2005
130 x 130mm / 5 1/8" x 5 1/8"



Glaze detail

 Suitable for use in wet areas with care. See page 134

 Crackled or may crackle/craze. See page 134



Birch with Pierre Belle Blanc Matt CS2159-6060 from the Tileworks range

Arcadian

Tern










 Torus Moulding W.UTE2010 130 x 43mm / 1 1/8" x 5 1/8"	 <small>new</small> Ogee Moulding W.UTE2110 200 x 30mm / 1 3/8" x 8"	 Glaze detail
 <small>new</small> Half Tile W.UTE2025 130 x 63mm / 2 1/2" x 5 1/8"		
 Field Tile W.UTE2005 130 x 130mm / 5 1/8" x 5 1/8"	 <small>new</small> 300mm Brick W.UTE3075 300 x 75mm / 3" x 12"	

Danube











Rotate alternate pairs of half tiles to get this look

 Torus Moulding W.UDA2010 130 x 43mm / 1 1/8" x 5 1/8"	 Ogee Moulding W.UDA2110 200 x 30mm / 1 3/8" x 8"	 Glaze detail
 Half Tile W.UDA2025 130 x 63mm / 2 1/2" x 5 1/8"		
 Field Tile W.UDA2005 130 x 130mm / 5 1/8" x 5 1/8"	 300mm Brick W.UDA3075 300 x 75mm / 3" x 12"	

Teal shown opposite



 Torus Moulding W.UTL2010 130 x 43mm / 1 1/8" x 5 1/8"	 <small>new</small> Ogee Moulding W.UTL2110 200 x 30mm / 1 3/8" x 8"	 Glaze detail
 <small>new</small> Half Tile W.UTL2025 130 x 63mm / 2 1/2" x 5 1/8"		
 Field Tile W.UTL2005 130 x 130mm / 5 1/8" x 5 1/8"	 <small>new</small> 300mm Brick W.UTL3075 300 x 75mm / 3" x 12"	

 Suitable for use in wet areas with care. See page 134

 Cracked or may crackle/craze. See page 134



Teal with Celaya White CS1204-6060 from the Tileworks range

Arcadian

Moselle shown opposite



Torus Moulding W.UMO2010
130 x 43mm / 1 1/8" x 5/8"



Half Tile W.UMO2025
130 x 63mm / 2 1/2" x 5/8"



Field Tile W.UMO2005
130 x 130mm / 5 1/8" x 5 1/8"



Ogee Moulding W.UMO2110
200 x 30mm / 1 3/8" x 8"



200mm Brick W.UMO2100
200 x 100mm / 4" x 8"



300mm Brick W.UMO3075
300 x 75mm / 3" x 12"

Estuary



Torus Moulding W.UES2010
130 x 43mm / 1 1/8" x 5/8"



 Half Tile W.UES2025
130 x 63mm / 2 1/2" x 5/8"




Field Tile W.UES2005
130 x 130mm / 5 1/8" x 5 1/8"




 Ogee Moulding W.UES2110
200 x 30mm / 1 3/8" x 8"



 200mm Brick W.UES2100
200 x 100mm / 4" x 8"



 300mm Brick W.UES3075
300 x 75mm / 3" x 12"


Sedge




Torus Moulding W.UUSD2010
130 x 43mm / 1 1/8" x 5/8"



Field Tile W.UUSD2005
130 x 130mm / 5 1/8" x 5 1/8"

 Suitable for use in wet areas with care. See page 134

 Cracked or may crackle/craze. See page 134



Moselle with Porcelain Ogee mouldings W.UPO2110 (see page 38)

Cosmopolitan

— rustic gloss —

A collection of beautifully crafted, high gloss tiles in a variety of shapes and sizes. Cosmopolitan tiles have a rustic clay base that helps to create their signature undulating surfaces and uneven edges for a wonderfully artisanal yet chic look.

Field Tile

130 x 130mm (5¹/₈" x 5¹/₈")

200mm Brick

200 x 100mm (4" x 8")

This contemporary, larger brick format that is ideal for use in larger spaces

Half Tile

130 x 63mm (2¹/₂" x 5¹/₈")

Torus Moulding

130 x 43mm
(1¹/₁₆" x 5¹/₈")

Perfectly sized to match Field and Half tiles

300mm Brick

300 x 75mm (3" x 12")

A contemporary take on the ever popular brick shape, looks great brick-bonded or in a herringbone pattern

Ogee Moulding

200 x 30mm (1³/₁₆" x 8")

A slim, elegant moulding that looks great with the longer brick formats

Cosmopolitan

China White



Torus Moulding WVCW2010
130 x 43mm / 1 1/16" x 5 1/8"

Half Tile WVCW2025
130 x 63mm / 2 1/2" x 5 1/8"

Field Tile WVCW2005
130 x 130mm / 5 1/8" x 5 1/8"

Ogee Moulding WVCW2110
200 x 30mm / 1 3/16" x 8"

200mm Brick WVCW2100
200 x 100mm / 4" x 8"

300mm Brick WVCW3075
300 x 75mm / 3" x 12"

Papyrus

shown opposite



Torus Moulding WVPA2010
130 x 43mm / 1 1/16" x 5 1/8"

Half Tile WVPA2025
130 x 63mm / 2 1/2" x 5 1/8"

Field Tile WVPA2005
130 x 130mm / 5 1/8" x 5 1/8"

Ogee Moulding WVPA2110
200 x 30mm / 1 3/16" x 8"

200mm Brick WVPA2100
200 x 100mm / 4" x 8"

300mm Brick WVPA3075
300 x 75mm / 3" x 12"



Decorated tiles
Patterned and illustrated tiles on Papyrus - see pages 64-85

Palomino



Torus Moulding WVPL2010
130 x 43mm / 1 1/16" x 5 1/8"

Half Tile WVPL2025
130 x 63mm / 2 1/2" x 5 1/8"

Field Tile WVPL2005
130 x 130mm / 5 1/8" x 5 1/8"

Ogee Moulding WVPL2110
200 x 30mm / 1 3/16" x 8"

200mm Brick WVPL2100
200 x 100mm / 4" x 8"

300mm Brick WVPL3075
300 x 75mm / 3" x 12"



Decorated tiles
See patterned and illustrated tiles with a Palomino base on pages 64-85



Papyrus

○ Suitable for use in wet areas

Cosmopolitan

Pumice



Torus Moulding WVPJ2010
130 x 43mm / 1 1/8" x 5 1/8"



Half Tile WVPJ2025
130 x 63mm / 2 1/2" x 5 1/8"



Field Tile WVPJ2005
130 x 130mm / 5 1/8" x 5 1/8"



Ogee Moulding WVPJ2110
200 x 30mm / 1 3/8" x 8"



200mm Brick WVPJ2100
200 x 100mm / 4" x 8"



300mm Brick WVPJ3075
300 x 75mm / 3" x 12"



See the Manoir pattern range
printed on Pumice
on page 70

Mere



Torus Moulding WVME2010
130 x 43mm / 1 1/8" x 5 1/8"



Half Tile WVME2025
130 x 63mm / 2 1/2" x 5 1/8"



Field Tile WVME2005
130 x 130mm / 5 1/8" x 5 1/8"



Ogee Moulding WVME2110
200 x 30mm / 1 3/8" x 8"




200mm Brick WVME2100
200 x 100mm / 4" x 8"




300mm Brick WVME3075
300 x 75mm / 3" x 12"

Mint



Torus Moulding WVMI2010
130 x 43mm / 1 1/8" x 5 1/8"



Half Tile WVMI2025
130 x 63mm / 2 1/2" x 5 1/8"



Field Tile WVMI2005
130 x 130mm / 5 1/8" x 5 1/8"



Ogee Moulding WVMI2110
200 x 30mm / 1 3/8" x 8"



200mm Brick WVMI2100
200 x 100mm / 4" x 8"



300mm Brick WVMI3075
300 x 75mm / 3" x 12"



See patterned tiles printed on a
Mint base on pages
68 and 76

○ Suitable for use in wet areas

△ Suitable for use in wet areas with care. See page 134

✱ Cracked or may crackle/craze. See page 134



Mint with Porcelain White Hexagons CS-PORWHX from the Mosaics range

Cosmopolitan

Experiment with pattern layouts for different effects

Flint



Torus Moulding WVFL2010
130 x 43mm / 1 1/8" x 5/8"



Half Tile WVFL2025
130 x 63mm / 2 1/2" x 5/8"



Field Tile WVFL2005
130 x 130mm / 5 1/8" x 5 1/8"



new Ogee Moulding WVFL2110
200 x 30mm / 1 3/8" x 8"




new 200mm Brick WVFL2100
200 x 100mm / 4" x 8"



new 300mm Brick WVFL3075
300 x 75mm / 3" x 12"

Thebes



Torus Moulding WVTH2010
130 x 43mm / 1 1/8" x 5/8"



Half Tile WVTH2025
130 x 63mm / 2 1/2" x 5/8"



Field Tile WVTH2005
130 x 130mm / 5 1/8" x 5 1/8"



new Ogee Moulding WVTH2110
200 x 30mm / 1 3/8" x 8"



new 200mm Brick WVTH2100
200 x 100mm / 4" x 8"



new 300mm Brick WVTH3075
300 x 75mm / 3" x 12"



See Ormeaux on Thebes on page 76

Truffle shown opposite




Torus Moulding WVTR2010
130 x 43mm / 1 1/8" x 5/8"




Field Tile WVTR2005
130 x 130mm / 5 1/8" x 5 1/8"



See the Chateaux pattern collection printed on Truffle on page 74

 Suitable for use in wet areas

 Suitable for use in wet areas with care. See page 134

 May crackle/craze. See page 134



Flint with Greenway Teal 8748 from Odyssey

Cosmopolitan

Straw shown opposite




Chestnut




See Ormeaux on Chestnut on page 76


Sloe




See Ormeaux on Sloe on page 77



Straw

 Suitable for use in wet areas

 Suitable for use in wet areas with care. See page 134

 May crackle/craze. See page 134

Cosmopolitan

Tourmaline ✨



Torus Moulding WVTO2010
130 x 43mm / 1 1/8" x 5 1/8"



Half Tile WVTO2025
130 x 63mm / 2 1/2" x 5 1/8"



Field Tile WVTO2005
130 x 130mm / 5 1/8" x 5 1/8"



new Ogee Moulding WVTO2110
200 x 30mm / 1 3/8" x 8"



new 200mm Brick WVTO2100
200 x 100mm / 4" x 8"



new 300mm Brick WVTO3075
300 x 75mm / 3" x 12"

Lagoon ✨ shown opposite



Torus Moulding WVLA2010
130 x 43mm / 1 1/8" x 5 1/8"



Half Tile WVLA2025
130 x 63mm / 2 1/2" x 5 1/8"



Field Tile WVLA2005
130 x 130mm / 5 1/8" x 5 1/8"



Ogee Moulding WVLA2110
200 x 30mm / 1 3/8" x 8"



200mm Brick WVLA2100
200 x 100mm / 4" x 8"



300mm Brick WVLA3075
300 x 75mm / 3" x 12"




Lagoon



Patterned tile

See Ormeaux on Lagoon on page 77

Bastille ✨



Torus Moulding WVBA2010
130 x 43mm / 1 1/8" x 5 1/8"



Half Tile WVBA2025
130 x 63mm / 2 1/2" x 5 1/8"



Field Tile WVBA2005
130 x 130mm / 5 1/8" x 5 1/8"



new Ogee Moulding WVBA2110
200 x 30mm / 1 3/8" x 8"



new 200mm Brick WVBA2100
200 x 100mm / 4" x 8"



new 300mm Brick WVBA3075
300 x 75mm / 3" x 12"



Bastille



Patterned tile

See Ormeaux on Bastille on page 77



Lagoon with Braemar pattern (in Chester Mews and Revival Grey) from the Victorian Floor Tiles range

✨ For dry areas only. See page 134

✨ May crackle/craze. See page 134

Cosmopolitan

Agapanthus



Torus Moulding WVAG2010
130 x 43mm / 1 1/4" x 5 1/8"

Half Tile WVAG2025
130 x 63mm / 2 1/2" x 5 1/8"

Field Tile WVAG2005
130 x 130mm / 5 1/8" x 5 1/8"

Ogee Moulding WVAG2110
200 x 30mm / 1 3/8" x 8"

200mm Brick WVAG2100
200 x 100mm / 4" x 8"

300mm Brick WVAG3075
300 x 75mm / 3" x 12"

Amun



Torus Moulding WVAM2010
130 x 43mm / 1 1/4" x 5 1/8"

Half Tile WVAM2025
130 x 63mm / 2 1/2" x 5 1/8"

Field Tile WVAM2005
130 x 130mm / 5 1/8" x 5 1/8"

 Ogee Moulding WVAM2110
200 x 30mm / 1 3/8" x 8"

 200mm Brick WVAM2100
200 x 100mm / 4" x 8"

 300mm Brick WVAM3075
300 x 75mm / 3" x 12"



See the Chateaux Ormeaux pattern on Amun on page 77

Lapis Blue shown opposite



Torus Moulding WVLP2010
130 x 43mm / 1 1/4" x 5 1/8"

Half Tile WVLP2025
130 x 63mm / 2 1/2" x 5 1/8"


Field Tile WVLP2005
130 x 130mm / 5 1/8" x 5 1/8"

Ogee Moulding WVLP2110
200 x 30mm / 1 3/8" x 8"

200mm Brick WVLP2100
200 x 100mm / 4" x 8"

300mm Brick WVLP3075
300 x 75mm / 3" x 12"

 Suitable for use in wet areas

 Suitable for use in wet areas with care. See page 134

 May crackle/craze. See page 134



Lapis Blue

Cosmopolitan

Counterbalance rich colours with a white or cream option as shown opposite

Marsh ◉ shown opposite



Torus Moulding W.VMA2010
130 x 43mm / 1 1/4" x 5/8"



Field Tile W.VMA2005
130 x 130mm / 5/8" x 5/8"

Glen ◉



Torus Moulding W.VGL2010
130 x 43mm / 1 1/4" x 5/8"



Field Tile W.VGL2005
130 x 130mm / 5/8" x 5/8"



See the Chateaux Ormeaux pattern on Glen on page 76

Blackberry ◉



Torus Moulding W.VBB2010
130 x 43mm / 5/8" x 5/8"



Field Tile W.VBB2005
130 x 130mm / 5/8" x 5/8"



See the Chateaux Ormeaux pattern on Blackberry on page 77

◉ Suitable for use in wet areas



Marsh with China White (see page 48)

Cosmopolitan

Tayberry shown opposite



Torus Moulding W.VTA2010
130 x 43mm / 1 1/4" x 5 1/8"



Half Tile W.VTA2025
130 x 63mm / 2 1/2" x 5 1/8"



Field Tile W.VTA2005
130 x 130mm / 5 1/8" x 5 1/8"



Ogee Moulding W.VTA2110
200 x 30mm / 1 3/8" x 8"



200mm Brick W.VTA2100
200 x 100mm / 4" x 8"



300mm Brick W.VTA3075
300 x 75mm / 3" x 12"



See the Manoir pattern range printed on Pumice on page 68

Musk



Torus Moulding W.VMU2010
130 x 43mm / 1 1/4" x 5 1/8"



Half Tile W.VMU2025
130 x 63mm / 2 1/2" x 5 1/8"



Field Tile W.VMU2005
130 x 130mm / 5 1/8" x 5 1/8"



Ogee Moulding W.VMU2110
200 x 30mm / 1 3/8" x 8"



200mm Brick W.VMU2100
200 x 100mm / 4" x 8"



300mm Brick W.VMU3075
300 x 75mm / 3" x 12"

Rioja



Torus Moulding W.VRO2010
130 x 43mm / 5/8" x 5 1/8"



Half Tile W.VRO2025
130 x 63mm / 2 1/2" x 5 1/8"



Field Tile W.VRO2005
130 x 130mm / 5 1/8" x 5 1/8"



Ogee Moulding W.VRO2110
200 x 30mm / 1 3/8" x 8"



200mm Brick W.VRO2100
200 x 100mm / 4" x 8"




300mm Brick W.VRO3075
300 x 75mm / 3" x 12"



See the Chateaux Ormeaux pattern on Rioja on page 77



Tayberry with Manoir Deco Tayberry W.2817VTA (see page 68)

 Suitable for use in wet areas

 Suitable for use in wet areas with care. See page 134

 May crackle/craze. See page 134

Cosmopolitan Decoratives

— patterns and prints —

An array of decorated and patterned tiles, from bold motifs to delicate details, there's a style for every taste. These tiles look beautiful when used across an expanse of space or singularly as a drop-in feature when teamed with their coordinating bases from the Cosmopolitan collection.

Chateaux

130 x 130mm (5 1/8" x 5 1/8")
Rich patterns in vivid colours,
inspired by rugs and pottery
from around the globe

Illustrated Designs

130 x 130mm (5 1/8" x 5 1/8")
Drawn and painted motifs in a
range of subjects, all on
pale backgrounds



Fabrique

200 x 100mm (4" x 8")
Pretty hand drawn patterns,
recreated in soft-toned glazes



Manoir

130 x 130mm (5 1/8" x 5 1/8")
Geometric designs in reactive
glazes for truly unique tiles

Fabrique

Mix and match with plain Papyrus tiles and mouldings on page 48



French Blue



Clara French Blue
W.2101



Coraline French Blue
W.2102



Picot French Blue
W.2103



Rosaline French Blue
W.2104

Dove Grey



Clara Dove Grey
W.2105



Coraline Dove Grey
W.2106



Picot Dove Grey
W.2107




Rosaline Dove Grey
W.2108

Soft Taupe




Clara Soft Taupe
W.2109



Coraline Soft Taupe
W.2110



Picot Soft Taupe
W.2111



Rosaline Soft Taupe
W.2112



Rosaline, Picot and Coraline, on Dove Grey

Suitable for use in wet areas

Manoir

Azure on Mint



Mint plain tiles and mouldings are on page 50



Deco Mint
W.2817VMI



Provence Mint
W.2821VMI



Nuage Mint
W.2820VMI



Fleur Mint
W.2818VMI



Maroc Mint
W.2819VMI



Trellis Mint
W.2822VMI


Plumtree on Tayberry



Tayberry plain tiles and mouldings are on page 62



Deco Tayberry
W.2817VTA



Provence Tayberry
W.2821VTA



Nuage Tayberry
W.2820VTA



Fleur Tayberry
W.2818VTA



Maroc Tayberry
W.2819VTA



Trellis Tayberry
W.2822VTA



Patchwork of Azure on Mint

Manoir

Midnight on Papyrus




Papyrus plain tiles and mouldings are on page 48




Deco Papyrus
W.2817VPA




Provence Papyrus
W.2821VPA



Nuage Papyrus
W.2820VPA



Fleur Papyrus
W.2818VPA



Maroc Papyrus
W.2819VPA



Trellis Papyrus
W.2822VPA

Messel on Pumice



Pumice plain tiles and mouldings are on page 50



Deco Pumice
W.2817VPU



Provence Pumice
W.2821VPU



Nuage Pumice
W.2820VPU



Fleur Pumice
W.2818VPU



Maroc Pumice
W.2819VPU




Trellis Pumice
W.2822VPU



Patchwork of Midnight on Papyrus

Chateaux

Ormeaux ◉




Ormeaux on Papyrus
W.2800VPA

Villette ◉



Villette on Papyrus
W.2801VPA

Behen ◉



Behen on Papyrus
W.2802VPA

Merles ◉




Merles on Papyrus
W.2803VPA

Bourron ◉



Bourron on Papyrus
W.2804VPA

All designs are on *Papyrus*



See page 48 to see
the options



Patchwork of Ormeaux, Villette, Behen, Merles and Bourron on Papyrus

Chateaux

Ormeaux



Ormeaux on Truffle
W.2800VTR

Villette



Villette on Truffle
W.2801VTR

Behen



Behen on Truffle
W.2802VTR

Merles




Merles on Truffle
W.2803VTR

Bourron



Bourron on Truffle
W.2804VTR


All designs are on *Truffle*




See page 52 to see the options




Patchwork of Ormeaux, Villette, Behen, Merles and Bourron on Truffle

 Suitable for use in wet areas with care. See page 134

 Cracked or may crackle/craze. See page 134

Mix and match with plain coordinating tiles and mouldings on pages 48-63



Mix it up! These designs look fabulous when combined in a random patchwork, see overleaf

Red on Mint




Ormeaux Red on Mint W.2810

Blue on Mint



Ormeaux Blue on Mint W.2809

on Lagoon




Ormeaux on Lagoon W.2806

on Amun



Ormeaux on Amun W.2807

on Palomino



Ormeaux on Palomino W.2808

on Thebes



Ormeaux on Thebes W.2815

on Bastille



Ormeaux on Bastille W.2805

on Sloe



Ormeaux on Sloe W.2812

on Glen



Ormeaux on Glen W.2816

on Chestnut



Ormeaux on Chestnut W.2814

on Blackberry



Ormeaux on Blackberry W.2811

on Rioja



Ormeaux on Rioja W.2813

Suitable for use in wet areas
 For dry areas only. See page 134

Suitable for use in wet areas with care. See page 134
 Cracked or may crackle/craze. See page 134

Suitable for use in wet areas
 For dry areas only. See page 134

Suitable for use in wet areas with care. See page 134
 Cracked or may crackle/craze. See page 134



Random mix of all Chateaux Ormeaux designs (see pages 76-77)

Herbs & Spices

Use with beautiful plain Papyrus tiles and mouldings on page 48

All designs on Papyrus

 PARSLEY Parsley W.2570	 DILL Dill W.2574
 SAFFRON Saffron W.2571	 GINGER Ginger W.2575
 OREGANO Oregano W.2572	 CHIVES Chives W.2576
 FENNEL Fennel W.2573	 NUTMEG Nutmeg W.2577

130 x 63 x 10mm (2½" x 5⅛" x ⅜")




Linen Border Grey
W.2604



Linen Corner Grey
W.2605

130 x 130 x 10mm
(5⅛" x 5⅛" x ⅜")

 Suitable for use in wet areas









with Papyrus Half tiles









Butterflies


Flutter to page 48 for plain tiles and mouldings to match this range

Designs on Papyrus

 Painted Beauty on Papyrus W.2701	 Lavender Sprite and Emerald Siren on Papyrus W.2704
 Pandora White and Azure Angel on Papyrus W.2705	 Spangled Saffron on Papyrus W.2702
 Amethyst Aurora on Papyrus W.2703	 Indigo Swallowtail on Papyrus W.2700

Designs on Palomino

 Painted Beauty on Palomino W.2701VPL	 Lavender Sprite and Emerald Siren on Palomino W.2704VPL
 Pandora White and Azure Angel on Palomino W.2705VPL	 Spangled Saffron on Palomino W.2702VPL
 Amethyst Aurora on Palomino W.2703VPL	 Indigo Swallowtail on Palomino W.2700VPL

 Suitable for use in wet areas

All tiles: 130 x 130 x 10mm (5⅛" x 5⅛" x ⅜")



designs on Palomino with Palomino Field tiles

Botanical Fruit

Great plains — See matching plain tiles and mouldings on page 48

Designs on Papyrus

All tiles: 130 x 130 x 10mm (5 1/8" x 5 1/8" x 3/8")



Apple on Papyrus
W.HP2520

Lemon on Papyrus
W.HP2523



Kiwi on Papyrus
W.HP2524

Orange on Papyrus
W.HP2521



Pear on Papyrus
W.HP2522

Peach on Papyrus
W.HP2525



Apple 6 Tile Panel on Papyrus
W.HP2526



Lemon 6 Tile Panel on Papyrus
W.HP2527



Linen Border Sepia
on Papyrus W.2600

Linen Corner Sepia
on Papyrus W.2601

☑ Suitable for use in wet areas



with Papyrus Field tiles

Botanical Fruit

Coordinate with matching plain tiles and mouldings on page 48

Designs on Palomino

All tiles: 130 x 130 x 10mm (5 1/8" x 5 1/8" x 3/8")



Apple on Palomino
W.HP2520VPL

Lemon on Palomino
W.HP2523VPL



Kiwi on Palomino
W.HP2524VPL

Orange on Palomino
W.HP2521VPL



Pear on Palomino
W.HP2522VPL

Peach on Palomino
W.HP2525VPL



Apple 6 Tile Panel on Palomino
W.HP2526VPL



Lemon 6 Tile Panel on Palomino
W.HP2527VPL



Linen Border Sepia
on Palomino W.2600VPL

Linen Corner Sepia
on Palomino W.2601VPL

☑ Suitable for use in wet areas



with Palomino Field tiles

Nautical

Set sail to page 48 for matching field tiles and mouldings in Papyrus

All designs on Papyrus



Lighthouse W.2580



Anchor W.2584



Brigg W.2582



Yawl W.2583



Compass W.2581



Linen Border Blue on Papyrus W.2602



Linen Corner Blue on Papyrus W.2603



Nautical designs look great with Agapanthus see page 58

Suitable for use in wet areas

All tiles: 130 x 130 x 10mm (5 1/8" x 5 1/8" x 3/8")



with Papyrus Field tiles



Farm & Field

Plain tiles and mouldings in matching Papyrus and Palomino are on page 48

Designs on Papyrus




with Truffle or Chestnut. See pages 52 and 54




Brood of Chickens on Papyrus W.2592



Warren of Hares on Papyrus W.2591




Linen Border Sepia on Papyrus W.2600



Brace of Pheasant on Papyrus W.2590



Flock of Sheep on Papyrus W.2595



Linen Corner Sepia on Papyrus W.2601



Drove of Cattle on Papyrus W.2593



Litter of Pigs on Papyrus W.2594


Designs on Palomino



Brood of Chickens on Palomino W.2592VPL



Warren of Hares on Palomino W.2591VPL



Brace of Pheasant on Palomino W.2590VPL




Flock of Sheep on Palomino W.2595VPL



Drove of Cattle on Palomino W.2593VPL



Litter of Pigs on Palomino W.2594VPL



Linen Border Sepia on Palomino W.2600VPL



Linen Corner Sepia on Palomino W.2601VPL

Suitable for use in wet areas

All tiles: 130 x 130 x 10mm (5 1/8" x 5 1/8" x 3/8")



with Palomino Field tiles

Artisan

— inspired by nature —

Artisan comprises soft colours with a timeless appeal. Evolved from the process of refining raw clay, pouring and pressing, moulding and shaping. Every piece is carefully crafted and skilfully finished. Artisan consists of 12 gloss glaze colours and six crackled glazes in field tile, half tile and brick as well as some decorative options.

Empire

150 x 15mm (5/8" x 6")

225mm Brick

225 x 75mm (3" x 9")

Chelsea

150 x 13mm (1/4" x 6")

Field Tile

150 x 150mm (6" x 6")

Half Tile

150 x 75mm (3" x 6")

Knightsbridge

32 x 32mm (1 1/4" x 1 1/4")

Knightsbridge and Hampstead 'drop-in' mouldings can be used as inserts in areas of plain tiling. See the example on page 96

Hampstead

75 x 75mm (3" x 3")

Skirting

150 x 150mm (6" x 6")

Baroque

150 x 65mm (2 1/2" x 6")

Clarence

225 x 55mm (2 3/16" x 6")
The same profile as Hampton, sized to match 225mm bricks

Beaulieu

150 x 23mm (7/8" x 6")

Bundled Reed

150 x 27mm (1 1/8" x 6")

Hampton

150 x 55mm (2 3/16" x 6")
The same profile as Clarence, sized to match Field and Half tiles

Buckingham

150 x 75mm (3" x 6")

Kensington

150 x 40mm (1 5/8" x 6")


See page 97 for dimensions, colour options and product codes

Artisan

Helmingham Gloss (Crackle)




Gloss Field Tile W.CLHE0606
Crackle Field Tile W.CLHE0606CR*
150 x 150 x 10mm
6" x 6" x 3/8"



Crackle finish available*



For a full range of mouldings in this colour. See page 97



Gloss Half Tile W.CLHE0603
Crackle Half Tile W.CLHE0603CR*
150 x 75 x 10mm
3" x 6" x 3/8"



Gloss Brick Tile W.CLHE0903
Crackle Brick Tile W.CLHE0903CR*
225 x 75 x 10mm
3" x 9" x 3/8"

Melford Gloss shown opposite (Crackle)



Gloss Field Tile W.CLME0606
Crackle Field Tile W.CLME0606CR*
150 x 150 x 10mm
6" x 6" x 3/8"




Crackle finish available*



For a full range of mouldings in this colour. See page 97



Gloss Half Tile W.CLME0603
Crackle Field Tile W.CLME0603CR*
150 x 75 x 10mm
3" x 6" x 3/8"



Gloss Brick Tile W.CLME0903
Crackle Brick Tile W.CLME0903CR*
225 x 75 x 10mm
3" x 9" x 3/8"

Hadleigh Gloss



Field Tile W.CLHA0606
150 x 150 x 10mm
6" x 6" x 3/8"






For a full range of mouldings in this colour. See page 97




Half Tile W.CLHA0603
150 x 75 x 10mm
3" x 6" x 3/8"



Brick Tile W.CLHA0903
225 x 75 x 10mm
3" x 9" x 3/8"

-  Suitable for use in wet areas
-  Suitable for use in wet areas with care. See page 134
-  Cracked or may crackle/craze. See page 134

*The hue of Crackle finishes may differ from that of Gloss



Melford Gloss with Kensington, Baroque and Chelsea mouldings (see page 97)

Artisan

new Waveney Gloss ○ shown opposite



Field Tile W.CLWA0606
150 x 150 x 10mm
6" x 6" x 3/8"



For a full range of
mouldings in this colour.
See page 97



Half Tile W.CLWA0603
150 x 75 x 10mm
3" x 6" x 3/8"



Brick Tile W.CLWA0903
225 x 75 x 10mm
3" x 9" x 3/8"

Dunwich Gloss ○ (Crackle △ ✱)



Gloss Field Tile W.CLDU0606
Crackle Field Tile W.CLDU0606CR*
150 x 150 x 10mm
6" x 6" x 3/8"



Crackle finish
available*



For a full range of
mouldings in this colour.
See page 97



Gloss Half Tile W.CLDU0603
Crackle Half Tile W.CLDU0603CR*
150 x 75 x 10mm
3" x 6" x 3/8"



Gloss Brick Tile W.CLDU0903
Crackle Brick Tile W.CLDU0903CR*
225 x 75 x 10mm
3" x 9" x 3/8"

Sudbury Gloss ○ (Crackle △ ✱)



Gloss Field Tile W.CLSU606
Crackle Field Tile W.CLSU606CR*
150 x 150 x 10mm
6" x 6" x 3/8"



Crackle finish
available*



For a full range of
mouldings in this colour.
See page 97



Gloss Half Tile W.CLSU603
Crackle Half Tile W.CLSU603CR*
150 x 75 x 10mm
3" x 6" x 3/8"




Gloss Brick Tile W.CLSU0903
Crackle Brick Tile W.CLSU0903CR*
225 x 75 x 10mm
3" x 9" x 3/8"

○ Suitable for use in wet areas

△ Suitable for use in wet areas with care. See page 134

✱ Crackled or may crackle/craze. See page 134


*The hue of Crackle finishes may differ from that of Gloss




Waveney with Clarence mouldings (see page 97) with Graphite Black EW-GB60X60 from the Earthworks range

Artisan

Orford Gloss ○ shown opposite



Field Tile W.CLOR0606
150 x 150 x 10mm
6" x 6" x 3/8"



For a full range of
mouldings in this colour.
See page 97



Half Tile W.CLOR0603
150 x 75 x 10mm
3" x 6" x 3/8"



Brick Tile W.CLOR0903
225 x 75 x 10mm
3" x 9" x 3/8"

Lavenham Gloss ○



Gloss Field Tile W.CLLA0606
150 x 150 x 10mm
6" x 6" x 3/8"



For a full range of
mouldings in this colour.
See page 97



Half Tile W.CLLA0603
150 x 75 x 10mm
3" x 6" x 3/8"




Brick Tile W.CLLA0903
225 x 75 x 10mm
3" x 9" x 3/8"

Ickworth Gloss ○



Field Tile W.CLIK0606
150 x 150 x 10mm
6" x 6" x 3/8"



For a full range of
mouldings in this colour.
See page 97



Half Tile W.CLIK0603
150 x 75 x 10mm
3" x 6" x 3/8"



Brick Tile W.CLIK0903
225 x 75 x 10mm
3" x 9" x 3/8"



Orford with Kensington, Buckingham and Skirting mouldings (see page 97) with Greyfriars Abbey EW-GREYAB83X55 from Earthworks

○ Suitable for use in wet areas

△ Suitable for use in wet areas with care. See page 134

⊛ Cracked or may crackle/craze. See page 134

Artisan

Snape Gloss



Field Tile W.CLSN0606
150 x 150 x 10mm
6" x 6" x 3/8"



Half Tile W.CLSN0603
150 x 75 x 10mm
3" x 6" x 3/8"



For a full range of
mouldings in this colour.
See page 97



Brick Tile W.CLSN0903
225 x 75 x 10mm
3" x 9" x 3/8"

new Southwold Gloss



Field Tile W.CLSW0606
150 x 150 x 10mm
6" x 6" x 3/8"



Half Tile W.CLSW0603
150 x 75 x 10mm
3" x 6" x 3/8"




For a full range of
mouldings in this colour.
See page 97



Brick Tile W.CLSW0903
225 x 75 x 10mm
3" x 9" x 3/8"

new Clare Gloss

shown opposite



Field Tile W.CLCL0606
150 x 150 x 10mm
6" x 6" x 3/8"




Half Tile W.CLCL0603
150 x 75 x 10mm
3" x 6" x 3/8"



For a full range of
mouldings in this colour.
See page 97



Brick Tile W.CLCL0903
225 x 75 x 10mm
3" x 9" x 3/8"



Clare with Bundled Reed and Skirting mouldings (See page 97) and Mediterraneo Beige Matt CS2253-9090 from Tileworks

Suitable for use in wet areas

new new new


new Highgrove
150 x 150 x 9mm
6" x 6" x 1/32"










































































































































































Highgrove embossed tiles are fractionally thinner than Artisan plain field tiles. When placing them together, we recommend using one of the co-ordinating mouldings (shown right) to provide an attractive transition between the two.


See the Highgrove photography on pages 98 - 99

	Helmingham W.CLHE1016		Waveney W.CLWA1016
	Hadleigh W.CLHA1016		Sudbury W.CLSU1016



Hampstead moulding used as a drop-in feature. NB the Field tiles have been cut to allow this. Shown with Beaulieu mouldings, all in Orford

Item	Design (shown below in Dunwich)	Profile	(matching plain tiles are on pages 88 - 95)											
			Helmingham	Melford	Hadleigh	Lavenham	Ickworth	Orford	Sudbury	Snapes	Dunwich	Waveney	Southwold	Clare
Knightsbridge 32 x 32mm 1 1/4" x 1 1/4"														
Hampstead 75 x 75mm 3" x 3"														
Chelsea 150 x 13mm 1 1/4" x 6"														
Empire 150 x 15mm 5/8" x 6"														
Beaulieu 150 x 23mm 7/8" x 6"														
Bundled Reed 150 x 27mm 1 1/8" x 6"														
Kensington 150 x 40mm 1 7/8" x 6"														
Baroque 150 x 65mm 2 1/2" x 6"														
Buckingham 150 x 75mm 3" x 6"														
Hampton 150 x 55mm 2 3/16" x 6"														
Skirting 150 x 150 x 15mm 6" x 6" x 5/8"														
Clarence 225 x 55mm 2 3/16" x 9"														

 Suitable for use in wet areas

Artisan Highgrove Embossed

new Helmingham Gloss shown opposite



Helmingham field tiles* are on page 88 and matching mouldings are on page 97



Embossed Tile W.CLHE1016
150 x 150 x 9mm
6" x 6" x 1/32"

new Waveney Gloss shown opposite



Waveney field tiles* are on page 90 and matching mouldings are on page 97



Embossed Tile W.CLWA1016
150 x 150 x 9mm
6" x 6" x 1/32"

new Hadleigh Gloss shown opposite



Hadleigh field tiles* are on page 88 and matching mouldings on page 97

Styled here (and shown opposite) with Ickworth.



Embossed Tile W.CLHA1016
150 x 150 x 9mm
6" x 6" x 1/32"

new Sudbury Gloss shown opposite



Sudbury field tiles* are on page 90 and matching mouldings on page 97



Embossed Tile W.CLSU1016
150 x 150 x 9mm
6" x 6" x 1/32"




Highgrove Hadleigh shown with Ickworth half tiles (see page 92), Chelsea, Hampton and Skirting mouldings in Ickworth (See page 93) and Lignum Beige Natural CB05-031-10016 from Tileworks

* Highgrove embossed tiles are fractionally thinner than Artisan plain field tiles. We recommend using a co-ordinating moulding (See page 97) to provide an attractive transition between the two – if using them together.

Artisan Patterned Tiles

Helmingham



Bicton on Helmingham
W.CLHE1505



Kew on Helmingham
W.CLHE1506




Rosemoor on Helmingham
W.CLHE1507




Wisley on Helmingham
W.CLHE1508

Helmingham Vintage




Bicton on Helmingham Vint.
W.CLHV1505



Kew on Helmingham Vint.
W.CLHV1506



Rosemoor on Helmingham Vint.
W.CLHV1507



Wisley on Helmingham Vint.
W.CLHV1508

Helmingham plain tiles and mouldings are on page 88

 Suitable for use in wet areas



Patchwork of Helmingham designs with Helmingham Half tiles

Artisan Patterned Tiles

Dunwich shown opposite



Dunwich plain tiles and mouldings are on page 90



Bicton on Dunwich
W.CLDU1505



Kew on Dunwich
W.CLDU1506



Rosemoor on Dunwich
W.CLDU1507



Wisley on Dunwich
W.CLDU1508

Snape



Snape plain tiles and mouldings are on page 96



Bicton on Snape
W.CLSN1505



Kew on Snape
W.CLSN1506



Rosemoor on Snape
W.CLSN1507




Wisley on Snape
W.CLSN1508

Sudbury



Sudbury plain tiles and mouldings are on page 90



Bicton on Sudbury
W.CLSU1505




Kew on Sudbury
W.CLSU1506




Rosemoor on Sudbury
W.CLSU1507



Wisley on Sudbury
W.CLSU1508



Patchwork of Dunwich designs with Dunwich Half tiles

 Suitable for use in wet areas

Artisan Patterned Tiles

Balance rich patterns with plain tiles and mouldings in matching Helmingham – see page 88

Topkapi ◉



Topkapi Blue
W.CL1502



Topkapi Red
W.CL1501



Topkapi Yellow
W.CL1503

Kutahya ◉



Kutahya
W.CL1504

Pasha ◉



Pasha
W.CL1500



Topkapi Red with Field tiles and Chelsea mouldings in Helmingham

◉ Suitable for use in wet areas

Classic

– rich glossy glazes –

The charm of all things hand moulded, hand painted or hand finished, is that no two pieces are likely to be identical. There's a wealth of choice, whether you are decorating a kitchen, bathroom, cloakroom, hallway, garden room or utility area.



Classic

Embellish with matching mouldings in selected colours on page 119

Pure White



Half Tile W.PW1025
127 x 63 x 10mm
2 1/2" x 5" x 3/8"



5" Field Tile W.PW1005
127 x 127 x 10mm
5" x 5" x 3/8"
4" Field Tile W.PW1004
105 x 105 x 10mm
4 1/8" x 4 1/8" x 3/8"

Off White



Half Tile W.OW1025
127 x 63 x 10mm
2 1/2" x 5" x 3/8"



5" Field Tile W.OW1005
127 x 127 x 10mm
5" x 5" x 3/8"
4" Field Tile W.OW1004
105 x 105 x 10mm
4 1/8" x 4 1/8" x 3/8"

Decorated tiles on Off White
are on pages 120 - 129

Oyster



5" Field Tile W.OY1005
127 x 127 x 10mm
5" x 5" x 3/8"

4" Field Tile W.OY1004
105 x 105 x 10mm
4 1/8" x 4 1/8" x 3/8"

Pearl



5" Field Tile W.PL1005
127 x 127 x 10mm
5" x 5" x 3/8"

4" Field Tile W.PL1004
105 x 105 x 10mm
4 1/8" x 4 1/8" x 3/8"


Flax



5" Field Tile W.FL1005
127 x 127 x 10mm
5" x 5" x 3/8"

4" Field Tile W.FL1004
105 x 105 x 10mm
4 1/8" x 4 1/8" x 3/8"

Peridot





Half Tile W.PT1025
127 x 63 x 10mm
2 1/2" x 5" x 3/8"



5" Field Tile W.PT1005
127 x 127 x 10mm
5" x 5" x 3/8"
4" Field Tile W.PT1004
105 x 105 x 10mm
4 1/8" x 4 1/8" x 3/8"



Pure White Half tiles and 5" Field Tiles with Dado, Listello and Pencil mouldings (see page 119)

 Suitable for use in wet areas with care. See page 134
 Cracked or may crackle/craze. See page 134

Maize 




Half Tile W.MZ1025
127 x 63 x 10mm
2 1/2" x 5" x 3/8"



5" Field Tile W.MZ1005
127 x 127 x 10mm
5" x 5" x 3/8"
4" Field Tile W.MZ1004
105 x 105 x 10mm
4 1/8" x 4 1/8" x 3/8"

Soft Yellow 



Half Tile W.SY1025
127 x 63 x 10mm
2 1/2" x 5" x 3/8"



5" Field Tile W.SY1005
127 x 127 x 10mm
5" x 5" x 3/8"
4" Field Tile W.SY1004
105 x 105 x 10mm
4 1/8" x 4 1/8" x 3/8"

Honey 




Half Tile W.HY1025
127 x 63 x 10mm
2 1/2" x 5" x 3/8"



5" Field Tile W.HY1005
127 x 127 x 10mm
5" x 5" x 3/8"
4" Field Tile W.HY1004
105 x 105 x 10mm
4 1/8" x 4 1/8" x 3/8"

Amber  shown below



Half Tile W.AR1025
127 x 63 x 10mm
2 1/2" x 5" x 3/8"



5" Field Tile W.AR1005
127 x 127 x 10mm
5" x 5" x 3/8"
4" Field Tile W.AR1004
105 x 105 x 10mm
4 1/8" x 4 1/8" x 3/8"

Canvas 



Half Tile W.CA1025
127 x 63 x 10mm
2 1/2" x 5" x 3/8"



5" Field Tile W.CA1005
127 x 127 x 10mm
5" x 5" x 3/8"
4" Field Tile W.CA1004
105 x 105 x 10mm
4 1/8" x 4 1/8" x 3/8"

Pebble 



Half Tile W.BB1025
127 x 63 x 10mm
2 1/2" x 5" x 3/8"



5" Field Tile W.BB1005
127 x 127 x 10mm
5" x 5" x 3/8"
4" Field Tile W.BB1004
105 x 105 x 10mm
4 1/8" x 4 1/8" x 3/8"

Walnut 



Half Tile W.WA1025
127 x 63 x 10mm
2 1/2" x 5" x 3/8"



5" Field Tile W.WA1005
127 x 127 x 10mm
5" x 5" x 3/8"
4" Field Tile W.WA1004
105 x 105 x 10mm
4 1/8" x 4 1/8" x 3/8"

Putty 



Half Tile W.PY1025
127 x 63 x 10mm
2 1/2" x 5" x 3/8"



5" Field Tile W.PY1005
127 x 127 x 10mm
5" x 5" x 3/8"
4" Field Tile W.PY1004
105 x 105 x 10mm
4 1/8" x 4 1/8" x 3/8"




Amber 5" Field tiles

 Suitable for use in wet areas with care. See page 134

 Cracked or may crack/craze. See page 134

Tarragon 



Half Tile W.TA1025
127 x 63 x 10mm
2 1/2" x 5" x 3/8"




5" Field Tile W.TA1005
127 x 127 x 10mm
5" x 5" x 3/8"
4" Field Tile W.TA1004
105 x 105 x 10mm
4 1/8" x 4 1/8" x 3/8"

Olive 



5" Field Tile W.OL1005
127 x 127 x 10mm
5" x 5" x 3/8"
4" Field Tile W.OL1004
105 x 105 x 10mm
4 1/8" x 4 1/8" x 3/8"

Celadon 



Half Tile W.CE1025
127 x 63 x 10mm
2 1/2" x 5" x 3/8"



5" Field Tile W.CE1005
127 x 127 x 10mm
5" x 5" x 3/8"
4" Field Tile W.CE1004
105 x 105 x 10mm
4 1/8" x 4 1/8" x 3/8"

See mouldings in Celadon on page 119

Sage 



5" Field Tile W.GB1005
127 x 127 x 10mm
5" x 5" x 3/8"
4" Field Tile W.GB1004
105 x 105 x 10mm
4 1/8" x 4 1/8" x 3/8"

Fennel 




Half Tile W.FE1025
127 x 63 x 10mm
2 1/2" x 5" x 3/8"



5" Field Tile W.FE1005
127 x 127 x 10mm
5" x 5" x 3/8"
4" Field Tile W.FE1004
105 x 105 x 10mm
4 1/8" x 4 1/8" x 3/8"

Lime Green 




5" Field Tile W.LG1005
127 x 127 x 10mm
5" x 5" x 3/8"
4" Field Tile W.LG1004
105 x 105 x 10mm
4 1/8" x 4 1/8" x 3/8"

Deep Turquoise 



Half Tile W.DT1025
127 x 63 x 10mm
2 1/2" x 5" x 3/8"



5" Field Tile W.DT1005
127 x 127 x 10mm
5" x 5" x 3/8"
4" Field Tile W.DT1004
105 x 105 x 10mm
4 1/8" x 4 1/8" x 3/8"

Marine Blue 



5" Field Tile W.LT1005
127 x 127 x 10mm
5" x 5" x 3/8"
4" Field Tile W.LT1004
105 x 105 x 10mm
4 1/8" x 4 1/8" x 3/8"

Thyme 



Half Tile W.TH1025
127 x 63 x 10mm
2 1/2" x 5" x 3/8"




5" Field Tile W.TH1005
127 x 127 x 10mm
5" x 5" x 3/8"
4" Field Tile W.TH1004
105 x 105 x 10mm
4 1/8" x 4 1/8" x 3/8"

Emerald Green 




Half Tile W.EG1025
127 x 63 x 10mm
2 1/2" x 5" x 3/8"



5" Field Tile W.EG1005
127 x 127 x 10mm
5" x 5" x 3/8"
4" Field Tile W.EG1004
105 x 105 x 10mm
4 1/8" x 4 1/8" x 3/8"

Moonstone 



Half Tile W.MO1025
127 x 63 x 10mm
2 1/2" x 5" x 3/8"



5" Field Tile W.MO1005
127 x 127 x 10mm
5" x 5" x 3/8"
4" Field Tile W.MO1004
105 x 105 x 10mm
4 1/8" x 4 1/8" x 3/8"

Jade 



5" Field Tile W.JA1005
127 x 127 x 10mm
5" x 5" x 3/8"
4" Field Tile W.JA1004
105 x 105 x 10mm
4 1/8" x 4 1/8" x 3/8"

Classic

Embellish with matching mouldings in selected colours on page 119

See decorated tiles on *Delft* on pages 126

Sky Blue



Half Tile W.SB1025
127 x 63 x 10mm
2½" x 5" x ¾"



5" Field Tile W.SB1005
127 x 127 x 10mm
5" x 5" x ¾"

4" Field Tile W.SB1004
105 x 105 x 10mm
4¼" x 4¼" x ¾"

Delft



Half Tile W.DE1025
127 x 63 x 10mm
2½" x 5" x ¾"



5" Field Tile W.DE1005
127 x 127 x 10mm
5" x 5" x ¾"

4" Field Tile W.DE1004
105 x 105 x 10mm
4¼" x 4¼" x ¾"

Periwinkle




Half Tile W.PE1025
127 x 63 x 10mm
2½" x 5" x ¾"



5" Field Tile W.PE1005
127 x 127 x 10mm
5" x 5" x ¾"

4" Field Tile W.PE1004
105 x 105 x 10mm
4¼" x 4¼" x ¾"


Sapphire



5" Field Tile W.SA1005
127 x 127 x 10mm
5" x 5" x ¾"

4" Field Tile W.SA1004
105 x 105 x 10mm
4¼" x 4¼" x ¾"

Cobalt Blue shown opposite




Half Tile W.CB1025
127 x 63 x 10mm
2½" x 5" x ¾"



5" Field Tile W.CB1005
127 x 127 x 10mm
5" x 5" x ¾"

4" Field Tile W.CB1004
105 x 105 x 10mm
4¼" x 4¼" x ¾"

Prussian Blue





5" Field Tile W.PB1005
127 x 127 x 10mm
5" x 5" x ¾"

4" Field Tile W.PB1004
105 x 105 x 10mm
4¼" x 4¼" x ¾"



Cobalt Blue Half tiles with Pencil and Rope mouldings (see page 119)

 Suitable for use in wet areas with care. See page 134

 Cracked or may crackle/craze. See page 134



Black 4" Field tiles

Grey  



Half Tile W.GR1025
127 x 63 x 10mm
2 1/2" x 5" x 3/8"



Field Tile W.GR1005
127 x 127 x 10mm
5" x 5" x 3/8"
4" Field Tile W.GR1004
105 x 105 x 10mm
4 1/8" x 4 1/8" x 3/8"


Black   shown above



Half Tile W.BL1025
127 x 63 x 10mm
2 1/2" x 5" x 3/8"



Field Tile W.BL1005
127 x 127 x 10mm
5" x 5" x 3/8"
4" Field Tile W.BL1004
105 x 105 x 10mm
4 1/8" x 4 1/8" x 3/8"

 Suitable for use in wet areas with care. See page 134

 Crackled or may crackle/craze. See page 134

Raspberry   shown right



Half Tile W.RA1025
127 x 63 x 10mm
2 1/2" x 5" x 3/8"



5" Field Tile W.RA1005
127 x 127 x 10mm
5" x 5" x 3/8"
4" Field Tile W.RA1004
105 x 105 x 10mm
4 1/8" x 4 1/8" x 3/8"

Vermillion  



Half Tile W.VE1025
127 x 63 x 10mm
2 1/2" x 5" x 3/8"



5" Field Tile W.VE1005
127 x 127 x 10mm
5" x 5" x 3/8"
4" Field Tile W.VE1004
105 x 105 x 10mm
4 1/8" x 4 1/8" x 3/8"


New Burgundy  




Half Tile W.BN1025
127 x 63 x 10mm
2 1/2" x 5" x 3/8"



5" Field Tile W.BN1005
127 x 127 x 10mm
5" x 5" x 3/8"
4" Field Tile W.BN1004
105 x 105 x 10mm
4 1/8" x 4 1/8" x 3/8"


 Suitable for use in wet areas with care. See page 134

 Crackled or may crackle/craze. See page 134



Raspberry 4" Field tiles

Ruby  



Half Tile W.RU1025
127 x 63 x 10mm
2 1/2" x 5" x 3/8"



5" Field Tile W.RU1005
127 x 127 x 10mm
5" x 5" x 3/8"
4" Field Tile W.RU1004
105 x 105 x 10mm
4 1/8" x 4 1/8" x 3/8"

Classic Mouldings

– timeless appeal –

Slip cast by hand in our Exeter factory, these elegant mouldings are the perfect companion to plain and decorated Classic collection tiles.

Large Moulding
254 x 64mm (2½" x 10⅛")

Rope
214 x 25mm
(1" x 8⅜")

Pencil
105 x 13mm
(½" x 4⅞")

Dado Corner

Dado Turn
38 x 38mm
(1½" x 1½")

Listello
214 x 19mm (¾" x 8⅜")

Dado Rails
258 x 38mm (1½" x 10⅛")
214 x 38mm (1½" x 8⅜")

Pencil
127 x 13mm
(½" x 5")

Pure White

Item / Profile		Pure White	Off White	Delft	Celadon	Periwinkle	Cobalt Blue	Grey	Ruby	New Burgundy
Pencil 105 x 13mm ½" x 4⅞"		W.PW1014	W.OW1014	W.DE1014	W.CE1014	W.PE1014	W.CB1014	W.GR1014	W.RU1014	W.BN1014
		W.PW1012	W.OW1012	W.DE1012	W.CE1012	W.PE1012	W.CB1012	W.GR1012	W.RU1012	W.BN1012
Listello 214 x 19mm ¾" x 8⅜"		W.PW1212	W.OW1212	W.DE1212	W.CE1212	W.PE1212	W.CB1212	W.GR1212	W.RU1212	W.BN1212
		W.PW1217	W.OW1217	W.DE1217	W.CE1217	W.PE1217	W.CB1217	W.GR1217	W.RU1217	W.BN1217
Large Moulding 258 x 38mm 2½" x 10⅛"		W.PW1600	W.OW1600	W.DE1600	W.CE1600	W.PE1600	W.CB1600	W.GR1600	W.RU1600	W.BN1600
		W.PW1226	W.OW1226	W.DE1226	W.CE1226	W.PE1226	W.CB1226	W.GR1226	W.RU1226	W.BN1226
Dado Rail 258 x 38mm 1½" x 10⅛"		W.PW1601	W.OW1601	W.DE1601	W.CE1601	W.PE1601	W.CB1601	W.GR1601	W.RU1601	W.BN1601
		W.PW1227	W.OW1227	-	-	-	-	-	-	-
Dado Rail Corner		W.PW1225	W.OW1225	-	-	-	-	-	-	-

▲ Suitable for use in wet areas with care. See page 134

⊗ Cracked or may crackle/craze. See page 134




Pure White Half tiles and 5" Field Tiles (see page 108) with Dado, Listello and Pencil mouldings

Classic Decoratives

— a touch of character —

From fine illustrations, delicate hand painted delft and classic raised fruits, Classic Decoratives are perfect for adding character and interest to any space.



All designs on Delft  

River Scenes

All tiles 127 x 127 x 10mm / 5" x 5" x 3/8"



Waterfront
W.DE1516HP



Fisherman
W.DE1517HP



Ship and Island
W.DE1518HP



Ship and House
W.DE1519HP



Pastoral Scene
W.DE1520HP



Windmill
W.DE1521HP

Figures in a landscape



Man with Hat
W.DE1510



Couple with Basket
W.DE1511



Lady with Mansion
W.DE1512



Man with Stick
W.DE1513



Man with Dog
W.DE1514



Woman with Basket
W.DE1515



with Delft Field tiles

Corner detail tile



Decorated corner tile
W.DE1001

Suitable for use with all English Delft designs or as a drop-in with plain Delft Field tiles

Hand painted boats



Trinite of London
W.DE1527HP



Thomas Basset of Rye
W.DE1528HP



Jim Howard of Fowey
W.DE1529HP



Mary & Gail of St Ives
W.DE1530HP




Grace & Ann of Liverpool
W.DE1531HP




Black Barks of Bristol
W.DE1532HP



with Sky Blue Half tiles (see page 114)

 Suitable for use in wet areas with care. See page 134

 Cracked or may crackle/craze. See page 134

Fish Frieze



Fish Frieze W.HP1260
4 Tile Set

Individual tile size: 105 x 105 x 10mm / 4 1/8" x 4 1/8" x 3/8"

Harmonise




Cobalt Blue, Periwinkle, Tarragon, Off White, and Grey plain tiles all work well with this frieze.
Browse the range on pages 108 - 117



with Off White Field tiles (see page 108) and Pencil mouldings (see page 119)


Into the Garden

Use with plain Off White tiles – see page 108

All designs on Off White  

Bugs

105 x 105 x 10mm / 4 1/8" x 4 1/8" x 3/8"



Dragonfly W.HP1290
Ladybird & Bee W.HP1292
Napoleon Bee W.HP1319
Two Butterflies W.HP1289
Butterfly W.HP1307
Caterpillar W.HP1316
Stag Beetle W.HP1320
Snail W.HP1309
Copper Butterfly W.HP1315



with Off White Field tiles

Bugs Borders

214 x 35 x 10mm / 1 1/8" x 8 3/8" x 3/8"




Ladybird & Bee Border W.HP1314
Plain Bug Border W.HP1313



with Off White Field tiles and mouldings

Flights of fancy

105 x 105 x 10mm / 4 1/8" x 4 1/8" x 3/8"




Swooping W.1750
Diving W.1751
Soaring W.1752
Dandelion W.1860
Blown Dandelion W.1861
Dandelion Seeds W.1862

Designer Flowers

Use with plain Off White tiles – see page 108


All designs on Off White  




Arctotis W.HP1484
214 x 105 x 10mm
4 1/8" x 8 3/8" x 3/8"
Poppy W.HP1485
214 x 105 x 10mm
4 1/8" x 8 3/8" x 3/8"
Agapanthus W.HP1486
214 x 105 x 10mm
4 1/8" x 8 3/8" x 3/8"
Allium W.HP1487
214 x 105 x 10mm
4 1/8" x 8 3/8" x 3/8"
Jar W.HP1489
214 x 105 x 10mm
4 1/8" x 8 3/8" x 3/8"
Stem Vase W.HP1490
214 x 105 x 10mm
4 1/8" x 8 3/8" x 3/8"
Flower Pot W.HP1488
105 x 105 x 10mm
4 1/8" x 4 1/8" x 3/8"
Greek Vase W.HP1491
105 x 105 x 10mm
4 1/8" x 4 1/8" x 3/8"



with Bugs 'Two Butterflies' (see opposite) and Off White Field tiles

 Suitable for use in wet areas with care. See page 134

 Cracked or may crackle/craze. See page 134

Raised Fruit

Use with plain Off White tiles – see page 108

All designs on Off White  

105 x 105 x 10mm / 4 1/8" x 4 1/8" x 3/8"



Cherry W.HP1030



Lemon W.HP1032



Two Pears W.HP1041



Currant W.HP1033N



Strawberries W.HP1034



Plum W.HP1039



Oranges W.HP1040



Grapes W.HP1042N



Burgundy Crabapple W.HPDP1031



Burgundy Crabapple Border W.HPDP1050



Burgundy Crabapple Corner W.HPDP1063



Peach Crabapple W.HPPH1031



Peach Crabapple Border W.HPPH1050



Peach Crabapple Corner W.HPPH1063



Blue Crabapple W.HPLB1031



Blue Crabapple Border W.HPLB1050




Blue Crabapple Corner W.HPLB1063



Red Clover Border W.HP1356
105 x 22mm / 7/8" x 4 1/8"



Burgundy Daisy Border W.HP1352
105 x 22mm / 7/8" x 4 1/8"



Burgundy Crabapple Frieze W.HPDP1056
214 x 44mm (1 3/4" x 8 3/8")



Peach Crabapple Frieze W.HPPH1056
214 x 44mm (1 3/4" x 8 3/8")



Blue Crabapple Frieze W.HPLB1056
214 x 44mm (1 3/4" x 8 3/8")



with Off White Field tiles and Dado Rails & Corners (see page 117)



Fruit Plaque W.HP1072N
323 x 323 x 10mm / 12 1/8" x 12 1/8" x 3/8" (not shown to scale above)



Leaf Frieze W.HP1058
214 x 44mm (1 3/4" x 8 3/8")



Leaf and Berry Border W.HP1235
214 x 76mm (3" x 8 3/8")

 Suitable for use in wet areas with care. See page 134

 Cracked or may crackle/craze. See page 134

Hand Crafted Panels


Use with plain Off White tiles – see page 108

All designs on Off White  

Chicken Coop



Chicken Coop Colour 40 Tile Panel W.1708



Maran W.1711
Off White 6 Tile Panel



Dutch Chicken W.1709
Off White 6 Tile Panel



Sulmtaler W.1710
Off White 6 Tile Panel


All individual tiles are 127 x 127 x 10mm / 5" x 5" x 3/8"
(not shown to scale with other tiles in this brochure)



with Off White Field tiles

Hand Crafted Panels

Use with plain Off White tiles – see page 108

All designs on Off White  

Family of Hares



Family of Hares 40 Tile Panel W.1700



Boxing Hares W.1701
6 Tile Panel



Wise Hare W.1702
6 Tile Panel



Hare in Hiding W.1703
2 Tile Panel

Flock of Geese




Flock of Geese 40 Tile Panel W.1704



Elders W.1706
6 Tile Panel




Cuthbert & Gertrude W.1707
6 Tile Panel



Goslings W.1705
2 Tile Panel

Hedgerow



Hedgerow 16 Tile Frieze W.1713




Hedgerow 22 Tile Panel W.1712

All individual tiles are 127 x 127 x 10mm / 5" x 5" x 3/8"
(not shown to scale with other tiles in this brochure)

Create your own composition by combining the Hedgerow 22 Tile Panel (W.1712) with animal panel sets of your choice shown on this spread. Blank spaces can be filled with plain Off White 5" field tiles – see page 108.

 Suitable for use in wet areas with care. See page 134

 Cracked or may crackle/craze. See page 134



Technical
Section
Useful information

How many tiles will you need?

Sizes and coverage

Once you have decided on your tiles, calculate how many you will need by measuring the area to be tiled.

Recommended grout gaps vary depending on personal taste and the look you wish to achieve, and also the uneven nature of the tile edge. Generally, the more rustic the base, the wider the grout gap.

De combien de carreaux aurez-vous besoin?

Une fois que vous avez choisi vos carreaux, calculez la quantité dont vous aurez besoin en mesurant la surface à carreler. Les écarts de joint recommandés varient en fonction des goûts personnels et de l'apparence que vous souhaitez réaliser, mais aussi de l'irrégularité des bords des carreaux. En général, plus les carreaux sont rustiques, plus l'écart de joint sera grand.

Wie viele Fliesen brauchen Sie?

Wenn Sie sich für eine bestimmte Fliese entschieden haben, können Sie ausrechnen, wie viele Fliesen benötigt werden, indem Sie den zu verarbeitenden Bereich messen. Die empfohlenen Fugenabstände richten sich nach Ihren persönlichen Vorlieben dem gewünschten Erscheinungsbild, werden aber auch durch die ungleichmäßigen Fliesenkanten bestimmt. Generell gilt: umso rustikaler die Fliese, desto größer die Fuge.

Hoeveel tegels hebt u nodig?

Zondra u uw tegels hebt uitgekozen, kunt u berekenen hoeveel u er nodig hebt door het te betegelen oppervlak op te meten. De aanbevolen voeglijnen zijn afhankelijk van persoonlijke smaak en het eindresultaat waarnaar u op zoek bent. Ook de oneffen aard van de tegeluiteinden spelen een rol. In het algemeen geldt dat hoe rustieker de tegels zijn, hoe breder de voeglijn is.

Сколько понадобится плиток?

Выбрав требуемую плитку, следует измерить необходимую площадь, чтобы подсчитать, сколько понадобится плиток. Рекомендуемое межплиточное расстояние зависит от личных предпочтений. Кроме того, следует учитывать неровность между краями плитки. В целом, чем более неровная основа плитки, тем шире межплиточное расстояние.

Nominal Tile Size* Taille nominale decarreau* Nennmaße de Fliese* Nominale tegelafmetingen* Номинальный размер плитки*	Tiles per square metre Carreaux par metre carré Fliesen pro Quadratmeter Tegels per vierkante meter на кв. м*	Tiles per Sq. ft	
Panorama / Origin			
240 x 60mm	23/8" x 9 7/16"	69	6.25
Cosmopolitan / Arcadian / Metropolitan			
50 x 50mm	2" x 2"	400	36
100 x 100mm	4" x 4"	100	9
130 x 63mm	2 1/2" x 5 1/8"	122	11
130 x 130mm	5 1/8" x 5 1/8"	59	5.5
150 x 150mm	6" x 6"	44	4
200 x 100mm	4" x 8"	50	4.5
200 x 200mm	8" x 8"	25	2.25
300 x 75mm	3" x 12"	44	4
Artisan			
150 x 75mm	3" x 6"	88	8
150 x 150mm	6" x 6"	44	4
225 x 75mm	3" x 9"	59	5.3
Classic			
105 x 105mm	4 1/8" x 4 1/8"	81	8
127 x 63mm	5" x 2 1/2"	109	11.5
127 x 127mm	5" x 5"	56	5.75

Nominal Tile Border Length* Longueur nominale du moulage des carreaux* Genormte Länge der Bordüre* Nominale lengte profieltegels* Номинальная длина границы плитки	Tiles per linear metre Carreaux par Mètre linéaire Fliesen pro Meter Tegels per lineaire meter Плитки на линейный метр	Tiles per Lin. ft	
Cosmopolitan / Arcadian / Metropolitan			
130mm	5 1/8"	7.7	2.3
100mm	8"	4.8	1.5
Artisan			
150mm	6"	6.6	2
225mm	9"	4.4	1.3
Classic			
105mm	4 1/8"	9.5	2.8
214mm	8 3/8"	4.6	1.4
127mm	5"	7.7	2.3
258mm	10 1/8"	3.8	1.2

Please allow an extra 10% for cutting and waste. Measurements above and quoted throughout are for the front face of the tile/moulding. Please note that the front face of Artisan Field tiles and Half tiles is marginally smaller than the back face, whereas the moulding and skirting pieces have the same dimension for both front and back facings. *Work sizes for products in this brochure are as follows: EN ISO 10545-2, EN14411 Annex K, Length and Width N > 15 cm. = +/- 0.5% of the work size 7 cm < N < 15 cm. = +/- 0.75 mm of the work size This does not apply to Winchester Artisan mouldings and Winchester Classic mouldings as these are slip cast. In these cases every effort is made to target the work size.

Recommended grout gaps are based on the following Cosmopolitan/Arcadian/Metropolitan: 3-4mm, Classic 3-6mm, Artisan: 2mm, Elements: 2mm

The front face of the Artisan Field tiles, Half tiles, brick tiles and decorated tiles is marginally smaller than the back face, whereas the moulding and skirting pieces have the same dimension for both front and back facings. To ensure that tiles and mouldings are aligned when they are included in the same installation, we recommend using 1mm spacers when fixing Field tiles, Half tiles, brick tiles and decorated tiles, and 2mm spacers when fixing mouldings, trims and skirting pieces. The 1mm spacers must be pushed in so that they make contact with the back face edges of the tiles.

We always recommend that any tiling is carried out by an experienced professional tiler. For full fixing information, please refer to our Fixing Guide on www.originalstyle.com.

Veillez toujours ajouter 10 % pour tenir compte des découpes et déchets éventuels. Les mesures ci-dessous et les autres mesures citées ailleurs concernent la face avant des carreaux/moulures. Notez que la face avant des carreaux unis Artisan est légèrement plus étroite que leur dos, tandis que les dimensions des moulures et des plinthes restent les mêmes sur le devant comme au dos. Les dimensions et marges de tolérance pour les produits de cette brochure sont comme suit: EN ISO 10545-2, EN14411 Annex K, longueur et largeur N > 15 cm. = +/- 0.5% de la taille réelle 7 cm < N < 15 cm. = +/- 0.75 mm de la taille réelle Ceci n'est pas applicable aux moulures de la gamme Winchester Artisan et Winchester Classic étant fabriqués avec un moule.

Dans ces cas, tous les efforts sont fait pour respecter la taille réelle. Les écarts de joints recommandés se basent sur les mesures suivantes: Cosmopolitan/Arcadian/ Metropolitan: 3-4 mm, Classic: 3-6 mm, Artisan: 2 mm, Elements: 2mm

La face avant des carreaux unis, demi-carreaux, carreaux effet brique et carreaux décorés Artisan est légèrement plus étroite que leur dos, tandis que les dimensions des moulures et des plinthes restent les mêmes sur le devant comme au dos. Pour aligner correctement les carreaux et les moulures dans une même installation, nous vous recommandons d'utiliser des entretoises de 1 mm lorsque vous posez les carreaux unis, demi-carreaux, carreaux effet brique et carreaux décorés, et des entretoises de 2 mm lorsque vous posez les moulures, les listels et les plinthes. Les entretoises de 1 mm doivent être disposées de manière à toucher les bords du dos des carreaux.

Nous vous recommandons de toujours faire installer vos carreaux par un carreleur professionnel et expérimenté. Pour des informations complètes sur l'installation, reportez-vous à notre Guide d'installation sur www.originalstyle.com.

Bitte planen Sie zusätzliche 10 % für Verschnitt und Reststücke ein. Die obigen und andere in der Broschüre angegebenen Maße gelten für die Vorderseite von Fliese / Formstück. Bitte beachten Sie, dass die Vorderseite der Artisan Grund- und Halbfliesen geringfügig kleiner als die Rückseite ist, während Formstücke und Sockelleisten die gleichen Dimensionen sowohl für Vorder- und Rückseite aufweisen. Werkmaße für Produkte in dieser Broschüre sind wie folgt: EN ISO 10545-2, EN14411: Anhang K, Länge und Breite N > 15 cm. = +/- 0.5% des Werkmaßes 7 cm < N < 15 cm. = +/- 0.75 mm des Werkmaßes Dies gilt nicht für Winchester Artisan Formstücken und Winchester Classic Formstücken, da sie geschlickerte Produkte sind. Wir versuchen jedoch auch hier das Werkmaß zu erzielen. Empfohlene Fugenabstände beruhen auf Cosmopolitan/Arcadian/Metropolitan: 3-4 mm, Classic: 3-6 mm, Artisan: 2 mm, Elements: 2mm

Deze maattolerantie geldt niet voor de Winchester Artisan streppen en Winchester Classic streppen, aangezien deze vormen gegoten zijn. In deze gevallen doen wij ons uiterste best om de nominale maat aan te houden. De aanbevolen voeglijnen zijn gebaseerd op het volgende: Cosmopolitan/Arcadian/Metropolitan: 3-4 mm, Classic: 3-6 mm, Artisan: 2 mm, Elements: 2mm

Die Vorderseite der Artisan Grund-, Halb-, Ziegel- und Dekorfliesen ist geringfügig kleiner als die Rückseite, während Formstücke und Sockelleisten die gleichen Dimensionen sowohl für Vorder- und Rückseite aufweisen. Um sicherzustellen, dass Fliesen und Formteile korrekt ausgerichtet sind, empfehlen wir die Verwendung von 1 mm Fugenkreuzen beim Verlegen von Grund-, Halb-, Ziegel- und Dekorfliesen. Für Formstücke, Profile und Sockelleisten verwenden Sie bitte 2 mm Fugenkreuze. Die 1 mm Fugenkreuze müssen so eingesetzt werden, dass sie Kontakt mit den rücksseitigen Kanten der Fliesen haben.

Wir empfehlen stets, dass unsere Fliesen von einem erfahrenen und professionellen Fliesenleger verlegt werden. Für vollständige Informationen zur Verlegung beachten Sie bitte unsere Verlegeanleitung unter www.winchestertiles.com.

Bestel 10% extra voor snijresten en afval. Bovenstaande en opgegeven maten zijn altijd van de voorkant van de tegel/het profiel. De voorkant van de vierkante tegel en de halve tegel van Artisan is enigszins kleiner dan de achterkant. De profiel- en randtegels hebben wel dezelfde afmetingen aan de voor- en achterzijde. De maattolerantie voor de producten in deze brochure zijn als volgt: EN ISO 10545-2, EN14411 Annex K, lengte en breedte N > 15 cm. = +/- 0.5% van de nominale maat 7 cm < N < 15 cm. = +/- 0.75 mm van de nominale maat Deze maattolerantie geldt niet voor de Winchester Artisan streppen en Winchester Classic streppen, aangezien deze vormen gegoten zijn.

In deze gevallen doen wij ons uiterste best om de nominale maat aan te houden. De aanbevolen voeglijnen zijn gebaseerd op het volgende: Cosmopolitan/Arcadian/Metropolitan: 3-4 mm, Classic: 3-6 mm, Artisan: 2 mm, Elements: 2mm

De voorkant van de vierkante tegel, de halve tegel, de bakstenen tegel en de siertegel van Artisan is enigszins kleiner dan de achterkant. De profiel- en randtegels hebben wel dezelfde afmetingen aan de voor- en achterzijde. Om ervoor te zorgen dat de tegels en de profieltegels op elkaar aansluiten als ze deel uitmaken van dezelfde installatie, raden we aan dat u tegelkruisjes gebruikt van 1 mm bij het zetten van veldtegels, halve tegels, bakstenen tegels en siertegels, en afstandsstukken van 2 mm bij het zetten van profieltegels, lijsttegels en randtegels. De tegelkruisjes van 1 mm moeten zodanig worden aangebracht dat ze in contact zijn met de uiteinden van de achterkant van de tegels.

We raden altijd aan dat tegels worden gelegd door een ervaren, professionele tegelzetter. Raadpleeg onze installatiegids op www.originalstyle.com voor alle informatie.

Допуск на отходы должен составлять 10%. Размеры, указанные выше и приведенные в данной брошюре, предназначены только для передней поверхности плитки/лепнины. Просьба обратить внимание, что передняя поверхность облицовочной плитки и полулитки коллекции Artisan незначительно меньше, чем задняя поверхность, при этом лепнина и бордюры одинаковы. Рабочие размеры продукции в этой брошюре следующие: EN ISO 10545-2, EN14411 Приложение К, Длина и Ширина N > 15 см. = +/- 0.5% от номинального размера 7 см < N < 15 см. = +/- 0.75 мм от номинального размера

Это не относится к Winchester Artisan и Винчестер Класс лепнинкам так как эти модели лепнины и бордюров одинаковы. Чтобы выровнять плитку и бордюры, рекомендуем использовать 1-миллиметровые разделители при укладке облицовочной плитки, полулитки, черепичной и декоративной плитки незначительно меньше, чем задняя поверхность, при этом лепнина и бордюры одинаковы. Чтобы выровнять плитку и бордюры, рекомендуем использовать 1-миллиметровые разделители при укладке бордюров, каймы и краев. 1-миллиметровые разделители следует вдавить таким образом, чтобы они соприкасались с задней гранью плитки.

Передняя поверхность облицовочной плитки, полулитки, черепичной и декоративной плитки незначительно меньше, чем задняя поверхность, при этом лепнина и бордюры одинаковы. Чтобы выровнять плитку и бордюры, рекомендуем использовать 1-миллиметровые разделители при укладке бордюров, каймы и краев. 1-миллиметровые разделители следует вдавить таким образом, чтобы они соприкасались с задней гранью плитки.

Настоятельно рекомендуем, чтобы укладка плитки производилась профессиональным плиточником. См. наше Руководство по укладке на сайте www.originalstyle.com для получения полной информации.

Important Information

Pattern repeats

Repeating Patterns - Artisan decorated tiles. Please note that decorative tiles are made individually and may have slight differences between them. They may not line up with each other exactly if placed together, but the overall effect will be stunning. The designs on these decorative tiles are subtly asymmetrical. To ensure a pleasing repeating pattern, carefully lay the tiles out before fixing them to the wall, to make sure that the patterns on the four edges match each other.

Motifs Répétitifs - Carreaux décorés Artisan. Notez que les carreaux décoratifs sont fabriqués individuellement et pourront présenter de légères différences d'un carreau à l'autre. Ils ne s'aligneront pas toujours parfaitement lorsque vous les poserez ensemble mais l'effet général n'en sera pas moins saisissant. Les motifs de ces carreaux décoratifs sont subtilement asymétriques. Pour que votre motif répétitif soit harmonieux, disposez vos carreaux soigneusement sur le sol avant de les installer au mur pour vérifier que les motifs en bordure de chaque carreau soient assortis aux carreaux adjacents.

Rapport-Designs - Artisan Dekorfliesen

Bitte beachten Sie, dass Dekorfliesen einzeln gefertigt werden und leichte Unterschiede aufweisen können. Unter Umständen kommt es vor, dass sie nicht exakt in einer Linie liegen. Dennoch ist die Gesamtwirkung beeindruckend. Die Designs dieser Dekorfliesen sind leicht asymmetrisch. Um ein attraktives wiederholendes Muster zu gewährleisten, legen Sie die Fliesen vor der Befestigung an der Wand sorgsam aus, um sicherzustellen, dass die Muster auf den vier Kanten zueinander passen.

Patronen Herhalen - Artisan decoratieve tegels

De decoratieve tegels worden per stuk gemaakt. Er kan dus sprake zijn van kleine verschillen tussen de tegels. Als ze samen worden gelegd, dan sluiten ze wellicht niet precies op elkaar aan. Het overkoepelende effect is daarentegen prachtig. De ontwerpen op deze siertegels worden gekenmerkt door een subtiel asymmetrie. Om een patroon met mooie herhalingen te maken, legt u de tegels neer voordat u ze bevestigt tegen de muur. Zorg ervoor dat de patronen van de vier hoeken op elkaar aansluiten.

Повторяющиеся узоры - Декоративная плитка Artisan

Просьба обратить внимание, что декоративная плитка изготавливается индивидуально, поэтому между плитками могут быть незначительные различия. Такие плитки могут не сходиться в точности, но общее впечатление будет потрясающим. Конструкция декоративной плитки немного ассиметрична. Чтобы получился красивый узор, следует разложить плитку на отдельной поверхности до ее укладки, чтобы узоры на всех четырех углах плитки соответствовали друг другу.

Kutahya / Topkapi





- This is correct as all 4 tiles are the right way up
- Cette disposition est correcte car les 4 carreaux sont dans le bon sens
- Richtig, da alle 4 Fliesen korrekt ausgerichtet sind
- Dit is juist, want alle vier de tegels zijn naar boven gericht
- Верно – все 4 плитки расположены правильно





- This is incorrect as the patterns on the sides do not line up
- Cette disposition est incorrecte : les motifs sur les côtés ne sont pas alignés
- Falsch. Die Muster verlaufen an den Seiten nicht in einer Linie
- Dit is onjuist, want de patronen aan de zijanten sluiten niet op elkaar aan
- Неверно – узоры по бокам не сходятся

Pasha



- This is correct as all 4 tiles are the right way up
- Cette disposition est correcte car les 4 carreaux sont dans le bon sens
- Richtig, da alle 4 Fliesen korrekt ausgerichtet sind
- Dit is juist, want alle vier de tegels zijn naar boven gericht
- Верно – все 4 плитки расположены правильно








- This is incorrect as the patterns top and bottom do not line up
- Cette disposition est incorrecte : les motifs ne sont pas alignés
- Falsch. Die Muster verlaufen an den Seiten nicht in einer Linie
- Dit is onjuist, want de patronen aan de boven- en onderkant sluiten niet op elkaar aan
- Неверно – узоры сверху и снизу не сходятся

Important Information

Suitability. NB Winchester wall tiles are not suitable for floors or external use. They are not suitable work surfaces. If they are installed as such, they will show signs of wear and surface scratching.

Manufacturing Standards. Where applicable, all Winchester tiles are manufactured and tested to European Standard EN14411.

Dimensions. All dimensions shown throughout the brochure are nominal; actual dimensions for individual tiles may vary from these figures. Please note, some reference images of tiles are not in proportion to reference images in other sections.

Symbol	Key	Special Notes
	Dry areas only	These tile colours are made from copper-based glazes and are all prone to discolouration by the very mild acids often found in the home, for example lemon scented soaps, wine, orange juice and fruit. To avoid discolouration, wash these tiles with clean water only and wipe them dry. Tiles and mouldings in these colours are recommended for dry areas only and should not be installed near kitchen or bathroom sinks or in shower cubicles. If they do get wet for any reason, always wipe any excess residue from the tile surface immediately with warm water and then dry off.
	Wet and dry walls	Suitable for kitchens, bathrooms and showers
	Wet and dry walls But not power showers	We do not recommend that crazed and crackle tiles are used for power showers, i.e. showers with a very high pressure generated by a forceful pump.
	Crazing / Crackle glazes	Highly glazed ceramic tiles may craze with time and no guarantee can be given against this occurrence across all Winchester Tile Company tiles and mouldings. This is an inherent part of our hand finished tiles and adds to their rustic nature. Arcadian and Artisan Crackle tiles and mouldings are deliberately crackled (as a result of a specific glazing process) to give an aged appearance. You may notice these tiles may make a 'crackling' noise as they acclimatise to the temperature of your home and may continue to do so for a short while after installation. This is perfectly normal and is part of the charm of these tiles. ALL CRAZED AND CRACKLE TILES MUST BE SEALED BEFORE CUTTING OR FIXING For use in both dry and wet areas, all crazed/crackle tiles should be sealed with an impregnator before cutting and fixing. This will help prevent dust from the red tile body staining the crazing/crackles during cutting and prevent grout stains (or other pollutant stains) during installation. Impregnating also allows for the easy cleaning of grout from the crazing/crackles after installation. Tiles should then be re-impregnated after the grout residue has been removed, then again after 90 days from installation, with a further treatment after one year. This is because glazes may continue to crackle/craze for several months, and so each new crackle/craze line becomes unsealed. Suitable impregnators are LTP Crackle Glaze Protector and Fila MP90.
	Origin rustic glaze	Tiles in the Origin Rustic range have holes and pits on the surface. This is an inherent part of the hand finished nature and adds to their character and charm. All of these tiles need to be impregnated before grouting. Grout the surfaces of the tiles to fill the voids, then impregnate again once dry. This will seal the surface and ensure that they are watertight.
Please refer to the Fixing Guide at www.originalstyle.com for more information.		

Colour Variation and Shading. The surfaces of Winchester tiles undulate gently, allowing natural shading to occur. These distinctive yet subtle variations in shade within each tile, moulding and border mean no two pieces are ever identical which gives a wonderful impression of depth to tiled areas, adding to their beauty and charm. There may also be subtle shade variations between the background colour on decorative tiles and any co-ordinating/matching field tile.

Before making your choice it is always advisable to ask your Winchester supplier to show you samples.

Before fixing, it is very important to lay the tiles out in good light to ensure that any shade difference is evenly distributed. No liability for shading issues can be accepted after installation.

Artisan Crackle Colour Variation. The hue of crackle glazed Artisan tiles may differ from gloss versions of the same colour.

Glazing. Glaze may not completely reach the top edges of Torus and Ogee mouldings, leaving areas of the base exposed. This is completely normal and we cannot be guaranteed against this occurring.

Cleaning. Wash down tiled surfaces with either clean water or a neutral i.e. not acidic or alkaline detergent. Dry off and polish with a dry duster.

Installation. For full installation instructions, including grouting and adhesive recommendations, please refer to the Winchester Fixing Guide available at www.originalstyle.com before commencing your installation. In the USA please follow the recommendations of a reputable adhesive manufacturer and always comply with the American National Institution (ANSI) specifications as set out in the Handbook for Ceramic Tile Installation published by the Tile Council of North America.

Photography. Owing to variations in studio lighting and printing inks, the tile colours shown in this brochure may differ slightly from those of the actual tiles. Before making your choice it is always advisable to ask your Winchester supplier to show you samples.

Limits of Liability. Original Style Limited accepts no liability for the faulty installation of its tiles. In the case of any claim relating to the tiles themselves, Original Style's liability, to the extent permitted by law, is limited to either the replacement of the product or a refund of the cost of the product, and does not extend to cover any consequential loss. Claims must be reported within seven working days from receipt of the tiles. Tiles must be inspected prior to installation and claims cannot be considered after the tiles have been installed. Please be advised that installation constitutes acceptance of the quality, colour, texture, shade and size of tiles.






Original Style Limited warrants that its tiles conform to their description and are fit for their purpose. Original Style Limited makes no other express or implied warranty as to fitness or suitability of the products for particular installations. We extend no guarantees, express or implied, as to wear resistance or maintenance procedures. Please note, the use of certain acid based cleaning products may cause some of the tiles to react and change in character.

Informations Essentielles

Usages. Les faïences Winchester ne conviennent pas pour une pose au sol ou en extérieur. Ils sont uniquement destinés à une pose murale, en intérieur. Nous vous déconseillons de poser les carreaux Winchester sur les surfaces de travail car ils seront sensibles à l'usure et aux rayures. Certains carreaux ne conviennent pas aux zones humides, comme indiqué ci-dessous.

Fabrication. Lorsque cela est possible, les carreaux Winchester sont fabriqués et testés selon la norme européenne EN14411.

Dimensions. Toutes les dimensions indiquées dans cette brochure sont nominales ; les dimensions réelles des carreaux individuels peuvent être différentes de celles indiquées. Notez également que certaines images de référence ne sont pas aux mêmes proportions que les images de référence des autres sections.

Symbole	Signification	Notes Spéciales
	Convient aux endroits secs uniquement	Ces couleurs sont des émaux à base de cuivre qui risquent tous de se décolorer au contact des acides même les plus doux que l'on retrouve couramment dans les intérieurs, par exemple les savons parfumés au citron, le vin, le jus d'orange et de fruits, vinaigre blanc. Pour éviter toute décoloration, lavez-les à l'eau uniquement et séchez-les avec un torchon. Il est conseillé d'installer les carreaux et moulures de ces couleurs uniquement dans les zones sèches, et d'éviter de les poser à proximité des évier ou dans les cabines de douche. S'ils deviennent humides ou mouillés pour quelque raison que ce soit, rincez immédiatement leur surface à l'eau tiède puis séchez-les.
	Murs zones humides	Convient aux zones humides, telles que les douches, salles de bain, crédence de cuisine
	Murs zones humides mais pas dans une douche à haute pression	Couleurs susceptibles au faïençage Ne pas installer dans une douche à haute pression (type spa)
	Couleurs susceptibles au faïençage	Les carreaux en céramique fortement vitrifiés peuvent se craqueler au fil du temps. Nous ne pouvons offrir aucune garantie contre cette éventualité. Il s'agit d'une caractéristique essentielle de nos carreaux finis à la main, qui renforce en outre leur aspect rustique. Veillez toujours à bien sceller les carreaux craquelés avant de passer à l'étape des joints, ce afin de faciliter le nettoyage des craquelures après avoir terminé le jointoiment. Vous risqueriez sinon d'avoir une coloration dans les craquelures due aux pigments du joint. Veuillez voir ci-dessous. Vous remarquerez peut-être que les carreaux Arcadian et Artisan Crackle émettent un son de « craquelure » alors qu'ils s'acclimatent à la température ambiante de votre intérieur, un phénomène qui pourra se poursuivre pendant quelques temps après leur installation. Cela est tout à fait normal et fait partie du charme de ces carreaux. TOUTES LES CARREAUX CRAQUELÉS DOIVENT ÊTRE SCÉLLÉS AVANT LA COUPE OU LA POSE Pour une utilisation dans les zones sèches et humides, tous les carreaux craquelés ou craqués doivent être scellés avec un imperméabilisant avant la coupe et la fixation. Cela aidera à empêcher la poussière rouge du carreau de tacher les craquelures pendant la coupe et à prévenir les taches de colis de jointoiment (ou d'autres taches polluantes) pendant l'installation. L'imperméabilisation permet également de nettoyer facilement le coulis des craquelures après l'installation. Les carreaux doivent ensuite être réimprégnés après l'élimination des résidus de coulis, puis à nouveau après 90 jours à compter de l'installation, avec un traitement supplémentaire un an après. En effet, les émaux peuvent continuer à craqueler pendant plusieurs mois, et ainsi chaque nouvelle craquelure devient descellée. Nous vous conseillons d'utiliser les produits imperméabilisants LTP Crackle Glaze Protector ou Fila MP90.
	Les carreaux de la gamme Origin rustic	Les carreaux de la gamme Origin Rustic ont des trous et creux sur leur surface. Il s'agit d'une caractéristique essentielle de ces carreaux naturels finis à la main qui leur rajoute du caractère et du charme. Tous ces carreaux ont besoin d'être imperméabilisés avant l'installation. Jointoyez la surface des carreaux pour remplir les trous, puis imprégnez de nouveau une fois que les carreaux sont secs. Cela rendra la surface étanche et assurera que les carreaux soient imperméables.
Pour obtenir des instructions complètes l'installation, y compris des recommandations concernant les ciments-joints et les colles, veuillez vous reporter au Guide de fixation Winchester sur www.originalstyle.com avant de procéder à l'installation.		

Variations de couleur et teinte. La surface des carreaux Winchester ondule délicatement, créant ainsi naturellement des nuances de couleur. Ces variations de teinte, à la fois distinctives et subtiles, sur chaque carreau, moulure et bordure, confèrent à chacun de ces éléments une apparence unique. Elles donnent ainsi une merveilleuse impression de profondeur aux surfaces carrelées et accentuent encore leur charme et leur beauté. De subtiles variations peuvent aussi apparaître entre la couleur de fond des carreaux décoratifs et tout carreau uni correspondant.

Avant de faire votre choix, il est toujours préférable de demander à votre revendeur Winchester de vous montrer des échantillons.

Avant de poser vos carreaux, il est important de les étaler sous une lumière. Nous n'accepterons aucune responsabilité pour les problèmes liés à la teinte une fois les carreaux installés.

Émaillage. Il est peu probable que les moulures Tore/ Ogee soient émaillées sur tout le long du bord supérieur. Cela signifie que la base du carreau peut apparaître le long du bord supérieur et nous ne pouvons pas garantir que cela ne soit le cas.

Couleurs brillantes ou craquelées Artisan. Veuillez noter qu'une couleur de même nom pourra présenter une légère variation de teinte selon si elle est brillante (Gloss) ou craquelée (Crackle).

Nettoyage. Nettoyez les surfaces carrelées à l'eau propre ou bien avec un détergent neutre (ni acide, ni alcalin). Séchez et frottez avec un chiffon non pelucheux.

Photographie. L'éclairage en studio et les encres utilisées pour l'impression peuvent affecter les couleurs des carreaux présentés dans ce catalogue. Avant de faire votre choix, il est toujours préférable de demander à votre revendeur Winchester de vous montrer des échantillons.

Responsabilité. Original Style Limited n'accepte aucune responsabilité si ses carreaux ne sont pas installés correctement. En cas de plainte concernant les carreaux mêmes, la responsabilité d'Original Style, en conformité avec la loi, se limite au remplacement ou au remboursement complet du produit et ne couvre aucune perte indirecte. Toute réclamation doit être effectuée dans les sept jours suivant la réception des carreaux. Les carreaux doivent être inspectés avant installation. Aucune réclamation ne sera prise en compte une fois les carreaux installés. Veuillez noter que l'installation des carreaux représente l'acceptation de leur qualité, couleur, texture, teinte et taille.

Original Style Limited garantit que ses carreaux sont conformes à leur description et conviennent à l'usage indiqué. Original Style Limited ne garantit en aucun cas, expressément ou implicitement, la conformité des produits à des installations particulières. Nous ne formulons aucune garantie, expresse ou implicite, vis-à-vis de la résistance à l'usure ou des procédures d'entretien.






Veuillez noter que l'utilisation de certains produits nettoyants à base d'acide peut provoquer des réactions sur certains carreaux et en modifier les caractéristiques.

Wichtige Infomationen

Eignung. Winchester-Wandfliesen eignen sich nicht für Böden oder Außenbereiche. Sie sind nur für Innenwände geeignet. Wir empfehlen nicht, dass Winchester Fliesen als Arbeitsflächen installiert werden. Wenn sie auf Arbeitsflächen verlegt werden, zeigen sich schnell Anzeichen von Verschleiß und Oberflächenkratzer. Einige sind nicht für Nassräume geeignet, siehe unten.

Herstellung. Sofern zutreffend, werden alle Winchester Fliesen gemäß der Europäischen Norm EN14411 hergestellt.

Abmessungen. Bei allen Maßangaben in diesem Katalog handelt es sich um Nennwerte; die tatsächlichen Maße einzelner Fliesen können etwas abweichen. Bitte beachten Sie, dass das Bildmaterial in diesem Katalog nicht das reelle Größenverhältnis widerspiegelt. So kann die Größe der Fliesen auf einem Bild nicht zwangsläufig mit den Fliesen eines anderen Bildes verglichen werden.

Symbol	Bedeutung	Besondere Hinweise
	Nur für trockene bereiche	diese Fliesen haben kupferhaltigen Glasuren und neigen bei Kontakt zu haushaltüblichen Säuren, wie z. B. bestimmten Reinigungsmitteln (z.B. Seifen mit Zitrusduft), Wein, Orangensaft und Früchten, zu Verfärbungen. Um Verfärbungen zu vermeiden, reinigen Sie diese Fliesen nur mit klarem Wasser und reiben Sie diese nach der Reinigung sofort trocken. Fliesen und Formstücke in diesen Farben dürfen nur in trockenen Bereichen eingesetzt werden und eignen sich nicht für die Installation in der Nähe von Küchenspülen oder in Duschkabinen. Sollten diese Produkte nass werden, waschen Sie Rückstände immer sofort mit warmem, klarem Wasser ab und reiben Sie die Oberfläche trocken.
	Trocken- und Nassbereiche	geeignet für Küchen, Badezimmer, Duschen und Dampfbäder
	Für Nassbereiche aber Nicht für power-duschen geeignet	Wir empfehlen nicht, Fliesen mit Haarrissen oder Craquelé in Power-Duschen bzw. Duschen mit sehr hohem Wasserdruck zu installieren.
	Neigung zu haarrissbildung / craquelé	Hochglasierte Fliesen können mit der Zeit Haarrisse bilden. Dies liegt in der Natur unserer handgefertigten Keramik und unterstreicht den rustikalen Charme der Fliesen. Haarrisse können bei allen Fliesen und Formteilen der Winchester Tile Company auftreten und sind kein Reklamationsgrund. Bei den Arcadian Fliesen und Formstücke sowie Artisan Crackle Fliesen und Formstücken werden in einem speziellen Glasurverfahren diese Risse bewusst erzeugt. Dieser sog. Craquelé-Effekt gibt den Fliesen ein gewollt „gealtertes“ Aussehen. Sie werden nach der Installation von Arcadian und Artisan Crackle eventuell ein „Knistern“ wahrnehmen, welches durch die Anpassung der Fliesen an die Temperatur Ihres Hauses erzeugt wird. Dieses Phänomen kann auch noch für bestimmte Zeit nach der Installation anhalten. Dies ist völlig normal und Teil des Charms dieser Fliesen. ALLE FLIESEN MIT HAARRISSEN ODER CRAQUELÉ MÜSSEN VOR DEM SCHNEIDEN ODER VERLEGEN IMPRÄGNIERT WERDEN Für die Verwendung in Trocken- und Nassbereichen sollten alle Fliesen mit Haarrissen oder Craquelé vor dem Schneiden und Verlegen mit einem Imprägniermittel versiegelt werden. Dadurch wird verhindert, dass der Staub des roten Fliesenkörpers beim Schneiden auf die Haarrisse oder Craquelé der Fliesen abfärbt, und es werden Flecken durch das Verfugen (oder Flecken durch andere Schadstoffe) beim Verlegen vermieden. Die Imprägnierung ermöglicht auch eine einfache Reinigung der Haarrisse oder Craquelé von dem Fugenmörtel nach der Verlegung. 90 Tage nach der Verlegung sollten die Fliesen erneut imprägniert werden, und nach einem Jahr ist eine weitere Behandlung notwendig. Der Grund dafür ist, dass sich Risse in Glasuren ueber mehrere Monate lang bilden können und jeder neue Riss ist somit unversiegelt. Geeignete Imprägniermittel sind LTP Crackle Glaze Protector und Fila MP90.
	Fliesen Origin rustic kollektion	Fliesen der Origin Rustic Kollektion haben kleine Löcher und Einkerbungen in der Oberfläche. Diese liegen in der Natur dieser handgefertigten Produkte und tragen zum Charakter und Charme bei. Die Fliesen müssen vor der Installation imprägniert werden. Verfugen Sie die Oberflächen, um die offenen Poren zu füllen und imprägnieren Sie sobald trocken. Dieser Vorgang versiegelt die Oberfläche und macht sie wasserdicht.
Vollständige Installationshinweise, einschl. Empfehlungen zu Kleber und Fugenmasse finden Sie in der Anleitung zur Verlegung von Winchester Fliesen unter www.originalstyle.com		

Farbabweichungen und Farbnuancen. Die Oberfläche der Kollektionen Winchester verläuft leicht wellenförmig, sodass natürliche Farbnuancen erzeugt werden. Diese charakteristischen Abweichungen des Farbtons in jeder Fliese, jedem Formstück oder jeder Bordüre schaffen einen wunderbaren Eindruck von Tiefe, der die natürliche Schönheit dieser Fliesen zusätzlich betont. Auch Ebenso können Dekorfliesen im Ton leicht von Grundfliesen der selben Farbe abweichen.

Es ist stets ratsam, Ihren Winchester Händler zu bitten, Ihnen Muster zu zeigen, bevor Sie Ihre Auswahl treffen.

Vor dem Verlegen der Fliesen müssen diese unbedingt unter guten Lichtverhältnissen lose ausgelegt werden, damit etwaige Farbunterschiede gleichmäßig verteilt werden können. Wir können keine Haftung für eventuelle Farbprobleme nach der Installation übernehmen.

Glasierte kanten. Es ist unwahrscheinlich, dass die oberen Kanten unserer Torus / Ogee Formteile vollständig glasiert sind. Die Farbe der Scherbe kann eventuell an dieser Stelle sichtbar sein. Dies stellt kein Reklamationsgrund dar.

Artisan hochglanz- und craquelé-glasur-farben. Beachten Sie bitte, dass geringfügige Farbunterschiede zwischen Gloss und Crackle (Hochglanz- und Craquelé-Glasur-Farben) mit dem gleichen Namen existieren.

Reinigung. Geflieste Flächen entweder mit klarem Wasser oder einem neutralen Reinigungsmittel (d. h. weder saures noch alkalisches Mittel) abwaschen. Mit einem trockenen Staubtuch abtrocknen und polieren.

Fotografien. Aufgrund von Abweichungen in Studiobeleuchtung und Druckfarben, können die, in diesem Katalog dargestellten Fliesenfarben, leicht von den Farben der tatsächlichen Fliesen abweichen. Es ist stets ratsam, Ihren Winchester Händler zu bitten, Ihnen Muster zu zeigen, bevor Sie Ihre Auswahl treffen.

Haftungsbeschränkung. Original Style Limited übernimmt für die fehlerhafte Installation der Fliesen keine Haftung. Sollte es Reklamationen bezüglich der Fliesen selbst geben, dann beschränkt sich die gesetzliche Haftung von Winchester Tile lediglich auf den Artikelaustausch oder Kostenrückerstattung. Weitere Schäden werden nicht abgedeckt. Reklamationen müssen innerhalb von sieben Arbeitstagen nach Erhalt der Fliesen eingereicht werden. Fliesen müssen vor der Installation kontrolliert werden. Eine Reklamation nach der Installation ist nicht möglich.

Bitte beachten Sie, dass Sie durch die Installation Qualität, Farbe, Textur, Farbe und Größe der Fliesen akzeptieren.

Original Style Limited gewährleistet die beschreibungs- und zweckgemäße Fabrikationsausführung der Fliesen. Original Style Limited gibt keine weiteren ausdrücklichen oder impliziten Garantien hinsichtlich Eignung der Produkte für besondere Installationsarten. Wir geben weder ausdrücklich noch implizit eine Garantieverlängerung auf Abnutzungsverhalten oder Wartungsarbeiten.






Die Verwendung von säurebasierten Reinigungsprodukten kann bei einigen Fliesen Reaktionen und Veränderungen im Erscheinungsbild hervorrufen.

Belangrijke Informatie

Geschiktheid. Winchester wandtegels zijn niet geschikt voor vloeren en buitengebruik. Ze zijn alleen bedoeld voor binnenmuren. We raden niet aan dat de Winchester tegels worden gebruikt voor het aanrechtblad. Als ze worden gebruikt voor aanrechtbladen, dan zullen tekenen van slijtage en krassen zichtbaar zijn. Enkele zijn niet geschikt voor natte oppervlakken: zie hieronder.

Productie. Voor zover van toepassing, zijn alle Winchester tegels geproduceerd in overeenstemming met Europese Richtlijn EN14411.

Afmetingen. Alle in de brochure vermelde afmetingen zijn nominaal. De werkelijke afmetingen van afzonderlijke tegels kunnen afwijken van deze cijfers. De verhouding van sommige referentieafbeeldingen van tegels in de brochure verschilt van die van de afbeeldingen in andere secties.

Symbol	Betekenis	Speciale Aantekeningen
	Alleen droge muren	Deze kleuren zijn geproduceerd met glazuren op koperbasis en kunnen verkleuren als gevolg van de zeer milde zuren die vaak worden aangetroffen bij mensen thuis, bijvoorbeeld in schoonmaakmiddel met citroengeur, wijn, sinaasappelsap en fruit. Om deze verkleuring te vermijden, wast u deze tegels alleen met schoon water en droogt u ze af. Tegels en profielen in deze kleuren worden alleen aanbevolen voor droge plekken en dienen niet in de buurt van de keukengooisteen of in de douchecabine te worden gezet. Als ze toch nat worden, dan veegt u het eventuele vuil onmiddellijk van de tegels af met warm water en droogt u ze af.
	Natte en droge muren	Geschikt voor muren in keukens, badkamers en douches.
	Natte en droge muren maar niet geschikt in de buurt van 'power showers'	Geschikt voor muren in keukens, badkamers en douches maar niet geschikt voor douches met een 'power shower' (douche kraan met hoge druk doormiddel van een krachtige pomp).
	Craquelé en haarscheurtjes	Sterk geglaazuurde keramische tegels kunnen na verloop van tijd haarscheurtjes gaan vertonen. We kunnen dienaangaande geen enkele garantie bieden. Dit is een eigenschap van onze handgemaakte tegels en draagt bij aan hun rustieke aard. Arcadian tegels en profielen en de Artisan Crackle tegels en profielen bevatten opzettelijk craquelé (dit is het gevolg van een specifiek glazuurproces), zodat ze er antiek uitzien. U merkt wellicht dat de tegels van Arcadian en Artisan Crackle een craquelégeluid maken als ze zich aanpassen aan de temperatuur van uw huis. Hiervan kan enige tijd na het zetten sprake zijn. Dit is absoluut normaal en maakt deel uit van de charme van deze tegels. ALLE GECRAQUELEERDE TEGELS EN TEGELS MET HAARSCHERTJES MOETEN GEÏMPREGNEERD WORDEN ALVORENS TE SNIJDEN EN ZETTEN Alle gecraqueleerde tegels en tegels met haarscheurtjes dienen voor het snijden en zetten te worden geïmpregneerd. Dit zal helpen voorkomen dat het stof van het rode biscuit, de haarscheurtjes tijdens het snijden verkleurt. Ook zal het de tegels tijdens de installatie beschermen tegen voegmiddel- en andere vlekken. Impregneren zorgt er ook voor dat voegmiddel makkelijker van de haarscheurtjes verwijderd kan worden na de installatie. Nadat voegresten zijn verwijderd, moeten gecraqueleerde tegels en tegels met haarscheurtjes opnieuw geïmpregneerd worden en dan wederom na 90 dagen en vervolgens opnieuw na een jaar. De reden hiervoor is dat het craqueléproces van de tegels enkele maanden duurt waardoor de tijdens dit proces ontstane scheurtjes ook geïmpregneerd moeten worden. Geschikte impregneermiddelen zijn Lithofin KF Impregneermiddel of Fila MP90.
	Elements origin rustic glazuur	De Origin Rustic tegels hebben putjes en oneffenheden op het oppervlak. Dit is een inherent karakter van deze, met de hand afgewerkte, tegels en geeft ze een rustieke charme. Al deze tegels moeten geïmpregneerd worden voor het voegen. Vul tijdens het voegen de putjes in het oppervlak met voegmiddel en wanneer de tegels schoon en droog zijn, impregneer de tegels vervolgens nogmaals. Dit zorgt ervoor dat de tegels geheel geseald en waterdicht zijn.
Voor alle installatieaanwijzingen, waaronder tips voor het voegen en voor de lijm, raadpleegt u voor het zetten de Winchester installatiegids, die te vinden is op www.originalstyle.com .		

Kleurvariatie en nuancering. Winchester tegels hebben oppervlakken die enigzins kunnen 'golven', zodat een natuurlijke nuancering kan optreden. Deze opmerlijke en subtiele variaties zorgen er voor dat de tegels nooit precies gelijk zijn. Hierdoor krijgen betegelde oppervlakken een gevoel van diepte, wat bijdraagt aan een charmant eindresultaat. Er kan ook sprake zijn van subtiele kleurschakeringen tussen de achtergrondkleur van de siertegels en coördinerende/bijpassende effen tegels.

Voordat u uw keuze maakt, is het altijd raadzaam om uw Winchesterleverancier te vragen om monsters.

Leg de tegels neer op een goed verlichte plek voordat u ze zet, zodat verschillende kleurnuances goed worden verdeeld. We zijn niet aansprakelijk voor problemen met de kleurnuancering na het zetten.

Glanzende en gecraqueleerde kleuren van Artisan. Er kan sprake zijn van kleine kleurverschillen tussen glanzende en gecraqueleerde kleuren met dezelfde naam.

Glazuur. Het is onwaarschijnlijk dat de Arcadian/Metropolitan Torus/Ogee mouldings op de bovenste rand geglaazuurd zijn. Dit betekent dat het aardewerk van de tegel zichtbaar is bovenop en we kunnen helaas niet garanderen dat dit niet het geval is.

Reinigen. Was betegelde oppervlakken met schoon water of een neutraal schoonmaakmiddel (geen bijtend middel, of op alkaliebasis). Droog af en poets op met een droge stofdoek.

Fotografie. Als gevolg van variaties in studiobelichting en printinkten kunnen de in deze brochure afgebeelde kleuren enigszins afwijken van die van de daadwerkelijke tegels. Voordat u uw keuze maakt, is het altijd raadzaam om uw Winchester leverancier te vragen om monsters.

Aansprakelijkheidsbeperking

Original Style Limited is niet aansprakelijk voor de verkeerde installatie van zijn tegels. In geval van claims met betrekking tot de tegels zelf is de aansprakelijkheid van Original Style, voor zover dit wettelijk is toegestaan, beperkt tot het vervangen van het product of het vergoeden van de kosten van het product en is gevolgschade niet inbegrepen. Claims moeten binnen zeven werkdagen na ontvangst van de tegels worden ingediend. De tegels moeten worden geïnspecteerd voordat deze worden gezet. Claims worden niet behandeld nadat de tegels zijn gezet.

Tot de zetting behoort het aanvaarden van de kwaliteit, kleur, structuur, schakering en afmetingen van de tegels.

Original Style Limited garandeert dat de tegels overeenkomen met hun omschrijving en geschikt zijn voor het beoogde gebruik. Original Style Limited maakt geen andere uitdrukkelijke of impliciete garanties met betrekking tot de geschiktheid van de producten voor bepaalde installaties. We geven geen garanties, uitdrukkelijk of impliciet, ten aanzien van slijtagebestendigheid of onderhoudsmaatregelen.

We wijzen u erop dat het gebruik van bepaalde bijtende reinigingsmiddelen kan leiden tot een reactie van de tegels, waarvan het uiterlijk kan veranderen.

Важная информация

Соответствие требованиям. Настенная плитка Winchester не предназначена для напольного покрытия или использования на открытом воздухе. Плитка предназначена только для внутренних стен. Мы не рекомендуем укладывать плитку Winchester на рабочую поверхность, поскольку возможно образование потертостей и царапин, некоторые виды плитки не предназначены для влажных помещений (см. далее).

По возможности, все плитки Winchester производятся в соответствии с Европейским стандартом EN14411.

Размеры. В данной брошюре указаны стандартные размеры; фактические размеры отдельной плитки могут отличаться от указанных в брошюре. Приведенные в качестве справочных в брошюре иллюстрации могут не соответствовать фотографиям плитки в других разделах.

Символ	Всмысле	Особые примечания
★	Только сухое помещение	Плитка этих оттенков покрыта глазурью на медной основе, поэтому возможно изменение цвета при контакте со слабыми кислотами, которые часто используются в быту, например, мыло с лимонным запахом, вино, апельсиновый сок и фрукты. Чтобы избежать изменения цвета, плитку следует мыть только чистой водой, а затем вытирать насухо. Плитку и лепнину этих оттенков рекомендуется использовать только в сухих помещениях, вдали от кухонных умывальных раковин и душевых. Если плитка по какой-либо причине намочка, следует незамедлительно промыть теплой водой, а затем вытереть насухо.
ⓘ	влажные и сухие стены	Влажные помещения, например, душевые, панели над умывальной раковиной
⚠	не предназначена для использования вблизи душевых систем с повышенным давлением.	Мы не рекомендуем использовать плитку с трещинами и кракелюрами для установки вблизи душевых систем с повышенным давлением.
⊗	Плитка с трещинами и кракелюрами	<p>На глянцевой поверхности керамической плитки со временем могут образоваться трещины. Гарантии на такие случаи не предоставляются. Это особенность обработанной вручную плитки, что придает ей уникальный внешний вид.</p> <p>Arcadian плитка и молдинг и Artisan Crackle плитка и молдинг намеренно производят с кракелюрами (результат специфического процесса глазурирования), чтобы предать старинный вид.</p> <p>Вы можете обратить внимание на то, что, непродолжительный период времени после укладки, плитка коллекций Arcadian и Artisan Crackle издает 'треск' по мере акклиматизации к температуре помещения. Это является естественной реакцией и именно такая особенность придает нашей продукции своеобразное очарование.</p> <p>ВСЕ ПЛИТКИ С ТРЕЩИНАМИ И КРАКЕЛЮРАМИ ДОЛЖНЫ БЫТЬ ГЕРМЕТИЗИРОВАНЫ ПЕРЕД РЕЗКОЙ ИЛИ УСТАНОВКОЙ</p> <p>Для использования как в сухих, так и во влажных помещениях, все плитки с трещинками и кракелюрами должны быть обработаны пропиткой перед резкой и установкой. Это поможет предотвратить попадание пыли с красного корпуса плитки на кракелюр во время резки и предотвратит появление пятен от затирки (или других загрязняющих веществ) во время укладки. Пропитка также позволяет легко очистить затирку с кракелюра после укладки. Плитку следует повторно пропитать после удаления остатков затирки, затем еще раз через 90 дней после укладки и еще раз через год. Это связано с тем, что глазурь может продолжать трескаться/растрескиваться в течение нескольких месяцев, поэтому каждая новая линия трещин/растрескивания становится негерметичной. Подходящими пропитками являются LTP Crackle Glaze Protector и Fila MP90.</p>
▣	Плитки в разделе «Origin Rustic Glaze»	Плитки в разделе «Origin Rustic Glaze» имеют отверстия и ямы на поверхности. Это неотъемлемая часть ручной работы которая придает очарование и характер этой плитке. Все эти плитки должны быть пропитанными перед установкой. Заполните пустоты поверхности плитки затиркой, а затем снова пропитайте после высыхания. Это закрепит поверхность плитки и обеспечит ее водонепроницаемость.

Перед тем, как укладывать плитку, следует ознакомиться с полными инструкциями по укладке, включающими рекомендации по выбору затирочных и клеящих материалов, которые приведены в Руководстве по укладке Winchester на сайте www.originalstyle.com.

Разные цвета и оттенки

Поверхность плитки Winchester слегка волнистая, что позволяет естественное затенение. Подобная заметная, при этом незначительная разница оттенков между плитками, лепниной и бордюрами означает, что все плитки по-своему индивидуальны, благодаря чему создается красивый глубокий эффект, что придает очарования покрытым такой плиткой помещениям. Кроме того, фон декоративной плитки и подходящей облицовочной плитки также может отличаться.

Перед тем, как выбрать плитку, рекомендуется обратиться к поставщику Winchester за образцами.

Перед укладкой плитки исключительно важно разложить ее на хорошо освещенной поверхности, чтобы убедиться, что все разные оттенки распределены равномерно. После укладки плитки компания не несет ответственности за любые проблемы, возникающие в связи с различными оттенками.

См. примечание далее касательно Foundry Metallics.

Artisan глянцевые цвета и плитка с кракелюрами. Внимание: цвета глянцевой плитки и плитки с кракелюрами с одним и тем же наименованием могут незначительно отличаться. Внимание: приведенные в качестве справочных иллюстрации могут не соответствовать фотографиям плитки в других разделах.

Глазурь Arcadian/Metropolitan. Обратите внимание: Маловероятно, что поверхность вдоль верхнего края бордюров Torgus/Ogee будет покрыта глазурью, в связи с этим мы не даем гарантии что цвет неглазированной основы плитки не будет виден вдоль верхнего края бордюров.


Чистка. Промыть поверхности либо чистой водой либо нейтральным моющим средством (то есть не кислотным и не щелочным). Вытереть насухо и отполировать сухой щеткой.

Фотографии. С учетом освещения в студии и типографической краски, цвет плитки на фотографиях, представленных в данной брошюре, может незначительно отличаться от фактического цвета плитки. Перед тем, как выбрать плитку, рекомендуется обратиться к поставщику Winchester за образцами.

Ограничение ответственности

Компания Original Style Limited не несет ответственности за дефекты при установке ее продукции. При возникновении претензий относительно качества плитки, ответственность компании Original Style в установленных законом случаях ограничена либо заменой товара, либо возмещением его стоимости, и не распространяется на возмещение косвенных убытков. О претензиях необходимо сообщать в течение 7 рабочих дней после получения плитки. Плитку следует проверить до ее установки. После установки плитки претензии не принимаются. Просьба обратить внимание, что установка плитки означает отсутствие претензий к ее качеству, цвету, размерам, текстуре и оттенкам.

Компания Original Style Limited гарантирует, что плитка соответствует ее описанию и пригодна для использования в надлежащих целях. Компания Original Style не предоставляет ни прямых, ни косвенных гарантий соответствия или пригодности товара для конкретных видов установки. Мы не обеспечиваем ни прямые, ни косвенные гарантии износоустойчивости. Просьба обратить внимание, что использование определенных моющих средств на кислотной основе может привести к химической реакции и изменению свойств плитки.



Panorama Pasture – see page 18



The
Winchester
Tile
Collection

General Enquiries

Tel: +44 (0)1392 473004

UK Sales

Tel: +44 (0)1392 473005

USA Sales

Tel: 508 507 6228

Fax: 1-866 881 6609 (toll free)

Email: usasales@originalstyle.com

Export Sales

Tel: +44 (0)1392 473001

Email: info@originalstyle.com

Website: www.originalstyle.com



ORIGINALSTYLE

Tiles to Inspire

The 'Winchester Tile' and 'Original Style' logos are registered trade marks of Original Style Ltd.
Original Style Limited is registered in England number 3018117.
Registered Office: Falcon Road, Sowton Industrial Estate, Exeter, Devon EX2 7LF, England

Your Original Style stockist

£4.00 €5.00 \$5.50

IM-0026185 WINBROCH6/03/22

Printed using Vegetable inks
and Green energy

© Copyright Original Style Ltd 2022